

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

AUDI Q 3 11- / 13-						
Serienbereifungen						
2.0 TFSI (125 kW),	> 215/65 R 16	98 V 4x4	2.3	2.3	2.5	2.7
2.0 TDI (103 kW)	235/55 R 17	99 V 4x4	2.3	2.3	2.5	2.7
	235/50 R 18	97 V 4x4	2.3	2.3	2.5	2.7
	255/40 R 19	96 V 4x4	2.3	2.3	2.5	2.7
2.0 TFSI (155 kW),	> 235/55 R 17	99 V 4x4	2.3	2.3	2.5	2.7
2.0 TDI (130 kW)	235/50 R 18	97 V 4x4	2.3	2.3	2.5	2.7
	255/40 R 19	96 V 4x4	2.3	2.3	2.5	2.7
2.5 TFSI RS (228 kW) 13-	> 255/40 R 19	96 V 4x4				
	255/35 R 20	97 Y XL 4x4				

AUDI Q 5 (8R) 08- / 12-						
Serienbereifungen						
2.0 TFSI (132 kW) -12,	> 235/65 R 17	104 H 4x4	2.1	2.1	2.3	2.3
2.0 TDI (105 kW),	235/60 R 18	103 H 4x4	2.1	2.1	2.3	2.3
2.0 TDI (125 kW) -12,	235/55 R 19	101 H 4x4	2.1	2.1	2.3	2.3
2.0 TDI (130 kW) 12-	255/45 R 20	101 W 4x4	2.1	2.1	2.3	2.3
2.0 TFSI (155 kW) -12,	> 235/60 R 18	103 V 4x4	2.1	2.1	2.3	2.3
2.0 TFSI Hybrid (180 kW),	235/55 R 19	101 V 4x4	2.1	2.1	2.3	2.3
3.2 FSI (200 kW),	255/45 R 20	101 W 4x4	2.1	2.1	2.3	2.3
3.0 TDI V6 (175 kW) -12,						
3.0 TDI (180 kW) 12-						
3.0 TDI S (230 kW)	> 255/40 R 20	101 Y XL 4x4				
	255/40 R 21	102 Y XL 4x4				

Umrüstungen						
	255/60 R 17	106 4x4				
	255/55 R 18	105 4x4				
	255/50 R 19	103 4x4				

AUDI Q 5 13-						
Serienbereifungen						
3.0 TDI V 6 (230 kW)	> 255/40 R 20	101 W XL 4x4				
	255/40 R 21	102 W XL 4x4				

AUDI Q 7 06- / 10-15						
Serienbereifungen						
3.0 TFSI (200 kW) 10-,	> 235/60 R 18	107 V XL 4x4	2.5	2.4	3.0	3.4
3.6 FSI (206 kW),	255/55 R 18	109 Y XL 4x4	2.4	2.4	3.0	3.4
3.0 TDI (150 kW) 10-,	265/50 R 19	110 Y XL 4x4	2.4	2.4	3.0	3.4
3.0 TDI (176 kW),	275/45 R 20	110 Y XL 4x4	2.4	2.4	3.0	3.4
3.0 TDI (180 kW) 10-	295/40 R 20	110 Y XL 4x4	2.4	2.4	3.0	3.4
	295/35 R 21	107 Y XL 4x4	2.4	2.4	3.0	3.4
3.0 TFSI (245 kW) 10-,	> 255/55 R 18	109 Y XL 4x4	2.5	2.4	3.0	3.4
4.2 FSI (257 kW),	265/50 R 19	110 Y XL 4x4	2.4	2.4	3.0	3.4
4.2 TDI (250 kW) 10-	275/45 R 20	110 Y XL 4x4	2.4	2.4	3.0	3.4
	295/40 R 20	110 Y XL 4x4	2.4	2.4	3.0	3.4
	295/35 R 21	107 Y XL 4x4	2.4	2.4	3.0	3.4
6.0 TDI V12 (368 kW) 10-	295/40 R 20	110 Y XL 4x4	2.4	2.4	3.0	3.4
	> 295/35 R 21	107 Y XL 4x4	2.4	2.4	3.0	3.4

AUDI Q 7 15-						
Serienbereifungen						
3.0 TFSI (45 kW)	> 255/60 R 18	108 Y 4x4				
	255/55 R 19	111 Y XL 4x4				
	285/45 R 20	112 Y XL 4x4				
	285/40 R 21	109 Y XL 4x4				
3.0 TDI (200 kW)	> 235/65 R 18	106 W 4x4				
	255/60 R 18	108 Y 4x4				
	255/55 R 19	111 Y XL 4x4				
	285/45 R 20	112 Y XL 4x4				
	285/40 R 21	109 Y XL 4x4				

BMW X 1 (E84) 09-						
Serienbereifungen						
2.0 18 d sDrive / xDrive (105 kW),	> 225/50 R 17	94 H 4x4	2.2	2.6	2.4	2.9
	225/50 R 17	94 H 4x4 SSR	2.2	2.6	2.4	2.9
2.0 20 d sDrive / xDrive (130 kW)	225/45 R 18	91 V 4x4 SSR	2.4	2.8	2.4	2.9
	225/45 R 18	91 V VA 4x4 SSR	2.4		2.4	
	255/40 R 18	95 V HA 4x4 SSR		2.6		2.9
	225/40 R 19	93 V VA XL 4x4 SSR	2.6		2.6	
	255/35 R 19	92 V HA 4x4 SSR		2.8		2.9
2.0 23 d xDrive (150 kW)	> 225/50 R 17	94 V 4x4	2.2	2.6	2.4	2.9
	225/50 R 17	94 V 4x4 SSR	2.2	2.6	2.4	2.9
	225/45 R 18	91 V 4x4 SSR	2.4	2.8	2.6	3.1
	225/45 R 18	91 V VA 4x4 SSR	2.4		2.6	
	255/40 R 18	95 V HA 4x4 SSR		2.6		2.9
	225/40 R 19	93 W VA XL 4x4 SSR	2.6		2.6	

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

3.0 28 i xDrive (190 kW)	> 255/35 R 19	92 W HA 4x4 SSR			2.8	2.9
	225/45 R 18	91 W 4x4 SSR	2.4	2.8	2.6	3.1
	225/45 R 18	91 W VA 4x4 SSR	2.4		2.6	
	255/40 R 18	95 W HA 4x4 SSR		2.6		2.9
	225/40 R 19	93 W VA XL 4x4 SSR	2.6		2.8	
	255/35 R 19	92 W HA 4x4 SSR		2.8		3.1

BMW X 3 (E83) 03- / 06-10						
Serienbereifungen						
2.0 i (110 kW), 2.5 i (141 kW),	> 215/60 R 17	96 H 4x4	2.2	2.4	2.4	2.8
2.0 d (110 kW),	235/55 R 17	99 H 4x4	2.0	2.2	2.2	2.6
2.5 si (160 kW) 06-	235/50 R 18	97 V 4x4	2.2	2.4	2.4	2.8
	235/50 R 18	97 V VA 4x4	2.2		2.4	
	255/45 R 18	99 V HA 4x4		2.2		2.6
	235/45 R 19	95 W VA 4x4	2.2		2.4	
	255/40 R 19	96 W HA 4x4		2.4		2.8
3.0 i (170 kW),	> 235/55 R 17	99 V 4x4	2.0	2.2	2.2	2.6
3.0 si (200 kW) 06-,	235/50 R 18	97 V 4x4	2.2	2.4	2.4	2.8
3.0 d (150 kW),	235/50 R 18	97 V VA 4x4	2.2		2.4	
3.0 d (160 kW) 06-	255/45 R 18	99 V HA 4x4		2.2		2.6
	235/45 R 19	95 W VA 4x4	2.2		2.4	
	255/40 R 19	96 W HA 4x4		2.4		2.8
3.0 sd (210 kW) 06-	> 235/50 R 18	97 V 4x4	2.3	2.5	2.5	2.9
	235/50 R 18	97 V VA 4x4	2.3		2.5	
	255/45 R 18	99 V HA 4x4		2.3		2.7
	235/45 R 19	95 W VA 4x4	2.3		2.5	
	255/40 R 19	96 W HA 4x4		2.5		2.9

Umrüstungen						
	245/40 R 19	94 VA 4x4				
	285/35 R 19	99 HA 4x4				
	245/35 R 20	95 VA XL 4x4				
	275/30 R 20	97 HA XL 4x4				
	255/35 R 20	97 VA XL 4x4				
	285/30 R 20	95 HA 4x4				
	265/35 R 20	99 VA XL 4x4				
	285/30 R 20	95 HA 4x4				
	265/35 R 22	98 VA 4x4				
	285/30 R 22	97 HA 4x4				

BMW X 3 (F25) 10- / 14-						
Serienbereifungen						
2.0 20 d xDrive (135 kW),	> 225/60 R 17	99 V 4x4	2.3	2.5	2.5	2.9
2.0 18 d (110 kW) 14-,	245/55 R 17	102 V 4x4 SSR	2.3	2.5	2.5	2.9
2.0 20 d (140 kW) 14-	245/50 R 18	100 W 4x4 SSR	2.3	2.5	2.5	2.9
	245/45 R 19	98 W VA 4x4 SSR	2.3		2.5	
	275/40 R 19	101 W HA 4x4 SSR		2.5		2.9
	245/40 R 20	99 Y VA XL 4x4 SSR	2.3		2.5	
	275/35 R 20	102 Y HA XL 4x4 SSR		2.5		2.9

2.0 28 i (180 kW) 14-,	> 225/60 R 17	99 V 4x4				
3.0 30 d (190 kW) 14-	245/55 R 17	102 V 4x4 SSR				
	245/50 R 18	100 W 4x4 SSR				
	245/45 R 19	98 W VA 4x4 SSR				
	275/40 R 19	101 W HA 4x4 SSR				
	245/40 R 20	99 Y VA XL 4x4 SSR				
	275/35 R 20	102 Y HA XL 4x4 SSR				
3.0 28 i xDrive (190 kW),	> 245/50 R 18	100 W 4x4 SSR	2.3	2.5	2.5	2.9
3.0 35 i xDrive (225 kW),	245/45 R 19	98 W VA 4x4 SSR	2.3		2.5	
3.0 35 d (230 kW)	275/40 R 19	101 W HA 4x4 SSR		2.5		2.9
	245/40 R 20	99 Y VA XL 4x4 SSR	2.3		2.5	
	275/35 R 20	102 Y HA XL 4x4 SSR		2.5		2.9

BMW X 4 (F26) 14-						
Serienbereifungen						
2.0 20 i xDrive (135 kW),	> 245/50 R 18	100 W 4x4 SSR				
2.0 20 d xDrive (140 kW)	245/45 R 19	102 W VA XL 4x4 SSR				
	275/40 R 19	101 W HA 4x4 SSR				
	245/40 R 20	102 W HA XL 4x4 SSR				
	275/35 R 20	102 Y HA XL 4x4 SSR				
	245/35 R 21	96 W VA XL 4x4 SSR				
	275/30 R 21	98 W HA XL 4x4 SSR				
2.0 28 i xDrive (180 kW),	> 245/50 R 18	100 W 4x4 SSR				
3.0 30 d xDrive (190 kW)	245/45 R 19	102 W VA XL 4x4 SSR				
	275/40 R 19	101 W HA 4x4 SSR				
	245/40 R 20	99 W VA XL 4x4 SSR				
	275/35 R 20	102 W HA XL 4x4 SSR				
	245/35 R 21	96 W VA XL 4x4 SSR				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
	275/30	R 21	98 W HA XL 4x4 SSR			
3.0 35 i xDrive (225 kW),	> 245/50	R 18	100 W 4x4 SSR			
3.0 35 d xDrive (230 kW)	245/45	R 19	102 W VA XL 4x4 SSR			
	275/40	R 19	101 W HA 4x4 SSR			
	245/40	R 20	99 W VA XL 4x4 SSR			
	275/35	R 20	102 W HA XL 4x4 SSR			
	245/35	R 21	96 W VA XL 4x4 SSR			
	275/30	R 21	98 W HA XL 4x4 SSR			

BMW X 5 (E70) 07- / 10-13

Serienbereifungen						
3.0 si (200 kW),	>	255/55	R 18	109 V XL 4x4 SSR	2.1	2.3 2.4 2.9
3.0 35 i (225 kW) 10-,		255/50	R 19	107 V XL 4x4 SSR	2.1	2.5 2.6 3.1
3.0 d (173 kW),		255/50	R 19	107 V VA XL 4x4 SSR	2.1	2.6
3.0 30 d (180 kW) 10-,		285/45	R 19	111 V HA XL 4x4 SSR		2.3 2.9
3.0 40 d (225 kW) 10-		275/40	R 20	106 W VA XL 4x4 SSR	2.1	2.4
		315/35	R 20	110 W HA XL 4x4 SSR		2.3 2.9
		285/35	R 21	105 W VA XL 4x4 SSR	2.1	2.4
		325/30	R 21	108 W HA XL 4x4 SSR		2.9
4.8 i V8 (261 kW),		255/50	R 19	107 W XL 4x4 SSR	2.4	2.6 2.8 3.3
4.4 50 i (300 kW) 10-	>	255/50	R 19	107 W VA XL 4x4 SSR	2.4	2.8
	>	285/45	R 19	111 W HA XL 4x4 SSR		2.4 3.0
		275/40	R 20	106 W VA XL 4x4 SSR	2.4	2.7
		315/35	R 20	110 W HA XL 4x4 SSR		2.4 3.0
		285/35	R 21	105 W VA XL 4x4 SSR	2.4	2.7
		325/30	R 21	108 W HA XL 4x4 SSR		2.6 3.2

BMW X 5 (F15) 13-

Serienbereifungen						
3.0 35 i xDrive (225 kW),	>	255/55	R 18	109 W XL 4x4	2.1	2.3 2.4 2.9
2.0 25 d sDrive / xDrive (160 kW),		255/55	R 18	109 W XL 4x4 SSR	2.1	2.3 2.4 2.9
3.0 30 d xDrive (190 kW),		255/50	R 19	107 W XL 4x4	2.1	2.3 2.4 2.9
3.0 40 d xDrive (230 kW)		255/50	R 19	107 W VA XL 4x4	2.1	2.4
		285/45	R 19	107 W HA XL 4x4		2.3 2.9
		255/50	R 19	107 W HA XL 4x4 SSR	2.1	2.4
		285/45	R 19	107 W HA 4x4 SSR		2.3 2.9
		275/40	R 20	106 W VA XL 4x4 SSR	2.1	2.4
		315/35	R 20	110 W HA XL 4x4 SSR		2.3 2.9
		285/35	R 21	105 W VA XL 4x4 SSR	2.1	2.4
		325/30	R 21	108 W HA XL 4x4 SSR		2.3 2.9
4.4 50 i xDrive (330 kW)	>	255/50	R 19	107 W XL 4x4	2.4	2.6 2.8 3.0
		255/50	R 19	107 W XL 4x4 SSR	2.4	2.6 2.8 3.0
		255/50	R 19	107 W VA XL 4x4	2.4	2.8
		285/45	R 19	107 W HA 4x4		2.6 3.0
		255/50	R 19	107 W VA XL 4x4 SSR	2.4	2.8
		285/45	R 19	107 W HA 4x4 SSR		2.6 3.0
		275/40	R 20	106 W VA XL XL 4x4 SSR	2.4	2.8
		315/35	R 20	110 W HA XL 4x4 SSR		2.6 3.0
		285/35	R 21	105 W VA XL 4x4 SSR	2.4	2.8
		325/30	R 21	108 W HA XL 4x4 SSR		2.6 3.0
3.0 M 50 d (280 kW)	>	255/50	R 19	107 W XL 4x4		
	>	285/45	R 19	107 W HA 4x4		
		255/50	R 19	107 W VA XL 4x4		
		285/45	R 19	107 W HA 4x4		
		275/40	R 20	106 W VA XL XL 4x4 SSR		
		315/35	R 20	110 W HA XL 4x4 SSR		
		285/35	R 21	105 W VA XL 4x4 SSR		
		325/30	R 21	108 W HA XL 4x4 SSR		

BMW X 5 M (E70) 09-13

Serienbereifungen						
4.4 V8 (408 kW)	>	275/40	R 20	106 Y VA XL 4x4 SSR		
	>	315/35	R 20	110 Y HA XL 4x4 SSR		
		285/35	R 21	105 Y VA XL 4x4 SSR		
		325/30	R 21	108 Y HA XL 4x4 SSR		

BMW X 5 M (E15) 13-

Serienbereifungen						
4.4 (423 kW)	>	285/40	R 20	104 Y VA 4x4		
	>	325/35	R 20	108 Y HA 4x4		
		285/35	R 21	105 Y VA XL 4x4		
		325/30	R 21	104 Y HA 4x4		

BMW X 6 (E71) 08- / 12-14

Serienbereifungen						
3.0 35 i (225 kW)	>	255/50	R 19	107 W XL 4x4 SSR	2.0	2.2 2.5 3.0

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
	255/50	R 19	107 W VA XL 4x4 SSR	2.0		2.5
	285/45	R 19	111 W HA XL 4x4 SSR		2.0	2.8
	275/40	R 20	106 W VA XL 4x4 SSR	2.2		2.5
	315/35	R 20	110 W HA XL 4x4 SSR		2.2	2.8
	285/35	R 21	105 W VA XL 4x4 SSR	2.2		2.5
	325/30	R 21	108 W HA XL 4x4 SSR		2.2	3.0

4.4 50 i V8 (300 kW)

>	255/50	R 19	107 W XL 4x4 SSR	2.4	2.4	2.6 3.0
	255/50	R 19	107 W VA XL 4x4 SSR	2.4		2.6
	285/45	R 19	111 W HA XL 4x4 SSR		2.4	2.8
	275/40	R 20	106 W VA XL 4x4 SSR	2.4		2.6
	315/35	R 20	110 W HA XL 4x4 SSR		2.4	2.8
	285/35	R 21	105 W VA XL 4x4 SSR	2.5		2.8
	325/30	R 21	108 W HA XL 4x4 SSR		2.5	3.0
3.0 30 d (173 kW),	>	255/50	R 19	107 W XL 4x4 SSR	2.0	2.2 2.3 2.8
3.0 30 d (180 kW) 10-,		255/50	R 19	107 W VA XL 4x4 SSR	2.0	2.3
3.0 35 d (210 kW),		285/45	R 19	111 W HA XL 4x4 SSR		2.0 2.6
3.0 40 d (225 kW) 10-		275/40	R 20	106 W VA XL 4x4 SSR	2.0	2.3
		315/35	R 20	110 W HA XL 4x4 SSR		2.0 2.6
		285/35	R 21	105 W VA XL 4x4 SSR	2.2	2.3
		325/30	R 21	108 W HA XL 4x4 SSR		2.2 2.6
4.4 Hybrid (357 kW) 10-,	>	275/40	R 20	106 Y VA XL 4x4 SSR	2.2	2.5
3.0 M 50 d (280 kW) 12-	>	315/35	R 20	110 Y HA XL 4x4 SSR		2.2 3.0
		285/35	R 21	105 Y VA XL 4x4 SSR	2.2	2.5
		325/30	R 21	108 Y HA XL 4x4 SSR		2.2 3.0

BMW X 6 14-

Serienbereifungen

3.0 35 i (225 kW),	>	255/50	R 19	107 Y XL 4x4 SSR		
4.4 50 i (330 kW),		255/50	R 19	107 Y VA XL 4x4 SSR		
3.0 30 d (190 kW),		285/45	R 19	111 Y HA XL 4x4 SSR		
3.0 40 d (230 kW)		275/40	R 20	106 Y VA XL 4x4 SSR		
		315/35	R 20	110 Y HA XL 4x4 SSR		
3.0 M 50 d (280 kW)	>	255/50	R 19	107 Y VA XL 4x4 SSR		
	>	285/45	R 19	111 Y HA XL 4x4 SSR		
		275/40	R 20	106 Y VA XL 4x4 SSR		
		315/35	R 20	110 Y HA XL 4x4 SSR		

BMW X 6 M (E71) 09-13

Serienbereifungen

4.4 V8 (408 kW)	>	275/40	R 20	106 Y VA XL 4x4 SSR		
	>	315/35	R 20	110 Y HA XL 4x4 SSR		
		285/35	R 21	105 Y VA XL 4x4 SSR		
		325/30	R 21	108 Y HA XL 4x4 SSR		

BMW X 6 M 13-

Serienbereifungen

4.4 V8 (408 kW)	>	285/40	R 20	104 Y VA 4x4		
	>	325/35	R 20	108 Y HA 4x4		
		285/35	R 21	105 Y VA XL 4x4		
		325/30	R 21	104 Y HA 4x4		

CADILLAC SRX 09-

Serienbereifungen

3.0 V6 (199 kW)		235/55	R 20	102 W 4x4		
	>	235/50	R 18	97 V 4x4		

CADILLAC Escalade 07- / 09-

Serienbereifungen

6.0 V8 (257 kW) -09	>	265/70	R 17	115 W 4x4		
6.0 Hybrid (248 kW),	>	285/45	R 22	H XL 4x4		
6.2 V8 (301 kW)						

CHEVROLET Captiva 06- / 11-

Serienbereifungen

2.4 (100 kW),	>	215/70	R 16	100 H 4x4	2.1	2.1 2.3 2.4
2.0 CDTI (110 kW)		235/60	R 17	102 H 4x4	2.1	2.1 2.3 2.4
		235/55	R 18	100 H 4x4	2.1	2.1 2.3 2.4
3.2 V6 (169 kW)	>	235/60	R 17	102 V 4x4	2.1	2.1 2.1 2.1
	>	235/55	R 18	100 V 4x4	2.1	2.1 2.1 2.1

CHEVROLET Captiva (KLAC) 11-

Serienbereifungen

2.4 2WD (123 kW),	>	235/60	R 17	102 H		
2.2 D 2WD (120 kW)		235/55	R 18	100 V		
3.0 4WD (190 kW),	>	235/55	R 18	100 V		
2.2 D 4WD (135 kW)		235/50	R 19	99 V		

Umrüstungen 255/45 R 19 100

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

CHEVROLET		Trax 13-					
Serienbereifungen							
1.6 (85 kW)	>	205/70 R 16	97 T 4x4	2.0	2.0	2.7	2.8
1.4 T AWD (103 kW),	>	205/70 R 16	97 H 4x4	2.0	2.0	2.7	2.8
1.7 TD / AWD (96 kW)	>	215/55 R 18	95 H 4x4	2.0	2.0	2.7	2.8
Umrüstungen							
		225/60 R 17	99 4x4				
		235/50 R 18	97 4x4				
		235/45 R 19	95 4x4				

CHEVROLET		HHR 07-09					
Serienbereifungen							
2.4 LT (125 kW)	>	215/50 R 17	91	2.4	2.4	2.4	2.4
Umrüstungen							
		235/45 R 17	94				
		235/40 R 18	91				
		235/35 R 19	91 XL				

CHEVROLET		Blazer 00-					
Serienbereifungen							
4.3 V6 (142 kW)	>	235/70 R 15	103 S 4x4	2.2	2.2	2.2	2.5
Umrüstungen							
		225/75 R 15	102 4x4				
		235/75 R 15	109 XL 4x4				
		245/75 R 16	111 4x4				
		255/70 R 15	108 4x4				
		265/70 R 16	112 4x4				
		235/60 R 16	100 4x4				
		275/60 R 17	110 4x4				

CHEVROLET		Tahoe 00-					
Serienbereifungen							
5.3 V8 (201 kW)	>	245/75 R 16	111 S 4x4	2.4	2.4	2.4	2.7
Umrüstungen							
		265/75 R 16	116 4x4				
		265/70 R 16	112 4x4				
		275/70 R 16	114 4x4				
		275/60 R 17	110 4x4				
		265/60 R 18	110 4x4				

CHEVROLET		Trailblazer 01-08					
Serienbereifungen							
4.2 I6 (201 kW)	>	225/75 R 16	104 T 4x4	2.2	2.2	2.2	2.4
		245/70 R 16	107 H 4x4	2.2	2.2	2.2	2.4
		245/65 R 17	107 H 4x4	2.2	2.2	2.2	2.4
Umrüstungen							
		235/70 R 16	106 4x4				
		255/70 R 16	111 4x4				
		255/65 R 16	109 4x4				
		275/60 R 17	110 4x4				
		275/55 R 17	109 4x4				
		255/55 R 18	105 4x4				
		265/55 R 18	108 4x4				
		285/50 R 18	109 4x4				
		255/50 R 19	103 4x4				
		275/40 R 20	102 4x4				

CHRYSLER		Voyager II (GS) 95-01 / III (RG) 01-11					
Serienbereifungen							
2.4 I6V (108 kW),		205/65 R 15	94 H	2.5	2.5	2.5	2.5
3.3 V6 / 4wd (128 kW),		215/65 R 15	96 H	2.5	2.5	2.5	2.5
2.5 CRD (105 kW),	>	215/65 R 16	98 H	2.5	2.5	2.5	2.5
2.8 CRD (110 kW)							
Umrüstungen							
		225/60 R 15	96				
		225/60 R 16	98				
		225/55 R 17	97				
		245/45 R 17	95				
		235/45 R 18	94				

CHRYSLER		Grand Voyager (GS) 95-01 / (RG) 01-08					
Serienbereifungen							
2.4 I6V (108 kW),		205/65 R 15	94 H	2.5	2.5	2.5	2.5
3.3 V6 (128 kW),		215/65 R 15	96 H	2.5	2.5	2.5	2.5
2.5 CRD (105 kW),	>	215/65 R 16	98 H	2.5	2.5	2.5	2.5
2.8 CRD (110 kW)							
Umrüstungen							
		225/60 R 15	96				
		225/60 R 16	98				
		225/55 R 17	97				
		245/45 R 17	95				

CHRYSLER		Grand Voyager 08-10					
Serienbereifungen							
3.8 V6 (142 kW),	>	225/65 R 16	100 H	2.5	2.5	2.5	2.5
2.8 CRD (120 kW)		225/65 R 17	102 H	2.5	2.5	2.5	2.5

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

CHRYSLER		Jeep Wrangler (JK) 07- / 11-					
Serienbereifungen							
3.8 V6 (153 kW),	>	245/75 R 16	111 T 4x4	2.4	2.4	2.4	2.4
2.8 CRD (130 kW)		255/75 R 17	115 T 4x4	2.4	2.4	2.4	2.4
3.6 V 6 (209 kW),	>	255/70 R 18	113 T 4x4	2.4	2.4	2.4	2.4
2.8 CRD (147 kW)							
Umrüstungen							
		265/65 R 17	112 4x4				
		265/60 R 18	110 4x4				

CHRYSLER		Jeep Cherokee 05-11					
Serienbereifungen							
3.7 (150 kW)	>	235/65 R 17	104 H 4x4	2.2	2.2	2.2	2.4
2.8 CRD (120 kW)	>	235/70 R 16	106 T 4x4	2.2	2.2	2.2	2.4
		235/65 R 17	104 T 4x4	2.2	2.2	2.2	2.4
Umrüstungen							
		255/65 R 16	109 4x4				
		255/60 R 17	106 4x4				
		255/60 R 18	108 4x4				
		255/55 R 18	105 4x4				

CHRYSLER		Jeep Cherokee 14					
Serienbereifungen							
3.2 V 6 (200 kW)	>	225/60 R 17	99 V 4x4	2.3	2.3	2.3	2.3
		225/55 R 18	98 V 4x4	2.3	2.3	2.3	2.3
2.0 TD (103 kW),	>	225/60 R 17	99 V 4x4	2.3	2.3	2.3	2.3
2.0 TD (125 kW)		225/55 R 18	98 V 4x4	2.3	2.3	2.3	2.3

CHRYSLER		Jeep Grand Cherokee (WH) 05- / 08-11					
Serienbereifungen							
4.7 V8 (170 kW),	>	245/65 R 17	107 H 4x4	2.3	2.3	2.3	2.3
3.0 CRD (160 kW)		245/60 R 18	104 H 4x4	2.3	2.3	2.3	2.3
5.7 V8 Hemi (240 kW)	>	245/65 R 17	107 V 4x4	2.2	2.2	2.2	2.4
		245/60 R 18	104 V 4x4	2.2	2.2	2.2	2.4
6.1 SRT-8 (313 kW) 06-	>	245/45 R 20	103 W XL 4x4	2.5	2.5	2.5	2.5
		245/45 R 20	103 W XL 4x4 SSR	2.5	2.5	2.5	2.5
6.1 V8 Hemi (313 kW) 08-	>	255/45 R 20	105 W VA XL 4x4	2.5	2.5		
		285/40 R 20	104 W HA 4x4		2.5		2.5
Umrüstungen							
		255/60 R 18	108 4x4				
		265/50 R 19	106 4x4				
		245/45 R 20	103 XL 4x4				

CHRYSLER		Jeep Grand Cherokee 11-					
Serienbereifungen							
3.6 V6 (210 kW),	>	265/60 R 18	110 V 4x4	2.3	2.3	2.3	2.3
3.0 CRD V6 (177 kW)		265/50 R 20	107 V XL 4x4	2.5	2.5	2.5	2.5
5.7 V8 Hemi (259 kW)	>	265/50 R 20	107 V XL 4x4	2.5	2.5	2.5	2.5
3.0 CRD (140 kW)	>	265/60 R 18	110 V 4x4	2.5	2.5	2.5	2.5
Umrüstungen							
		275/50 R 20	109 4x4				
		295/45 R 20	110 4x4				
		275/40 R 22	108 XL 4x4				

CHRYSLER		Jeep Commander (WH) 06-10					
Serienbereifungen							
4.7 V8 (170 kW),	>	245/65 R 17	107 H 4x4	2.5	2.5	2.5	2.5
3.0 V6 CRD (160 kW)		245/60 R 18	104 H 4x4	2.5	2.5	2.5	2.5
5.7 V8 Hemi (240 kW)	>	245/65 R 17	107 V 4x4				
		245/60 R 18	104 4x4				
Umrüstungen							
		255/60 R 18	108 4x4				
		265/50 R 19	106 4x4				
		245/45 R 20	103 XL 4x4				

CHRYSLER		Jeep Compass (PK) 07- / 11-					
Serienbereifungen							
2.0 2wd (115 kW),	>	215/60 R 17	96 H 4x4	2.4	2.4	2.4	2.4
2.4 4wd (125 kW),		215/55 R 18	95 H 4x4	2.4	2.4	2.4	2.4
2.0 CRD (103 kW) -11,							
2.2 CRD 2wd (100 kW),							
2.2 CRD 4wd (120 kW)							
Umrüstungen							
		235/55 R 17	99 4x4				
		235/50 R 18	97 4x4				
		235/45 R 19	95 4x4				

CHRYSLER		Jeep Patriot (PK) 08-11					
Serienbereifungen							
2.4 (125 kW), 2.0 D (103 kW)	>	215/60 R 17	96 H 4x4	2.4	2.4	2.4	2.4
Umrüstungen							
		235/55 R 17	99 4x4				
		215/55 R 18	95 4x4				
		235/50 R 18	97 4x4				
		235/45 R 19	95 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

CHRYSLER Jeep Renegade 14	
Serienbereifungen	
1.6 (81 kW)	> 215/65 R 16 96 H 215/60 R 17 96 H
1.4 (103 kW),	> 215/65 R 16 96 H
1.6 D Multijet (88 kW),	215/60 R 17 96 H
2.0 D Multijet 4wd (103 kW)	225/55 R 18 98 H
1.4 4wd (125 kW)	> 215/60 R 17 96 H 225/55 R 18 96 H
2.0 D Multijet 4wd (125 kW)	> 215/65 R 17 96 H > 215/60 R 17 96 H

DAIHATSU Terios 97- / 00-06	
Serienbereifungen	
1.3 16V Turbo (63 kW)	> 205/70 R 15 96 S 4x4 1.8 1.8 1.8 1.8
Umrüstungen	
	225/60 R 16 98 4x4
	235/45 R 18 94 4x4
	245/45 R 18 96 4x4

DAIHATSU Terios (J 2) 06-	
Serienbereifungen	
1.5 (77 kW)	> 215/65 R 16 98 T 4x4 2.1 2.1 2.1 2.1 235/60 R 16 100 T 4x4 2.1 2.1 2.1 2.1
Umrüstungen	
	225/55 R 17 97 4x4
	235/55 R 17 99 4x4
	235/50 R 18 97 4x4
	245/45 R 18 96 4x4

DODGE Nitro (KJ) 07-	
Serienbereifungen	
3.7 (151 kW),	> 235/65 R 17 104 H 4x4 2.3 2.3 2.3 2.3
2.8 CRD (130 kW)	
4.0 (191 kW)	> 245/50 R 20 102 V 4x4
Umrüstungen	
	255/60 R 17 106 4x4
	255/55 R 18 105 4x4
	275/45 R 19 108 XL 4x4

FIAT Sedici (FY) 06- / 09-	
Serienbereifungen	
1.6 (79 kW) -09,	> 195/65 R 15 91 H 4x4 2.4 2.3 2.5 2.5
1.9 TD Multijet (88 kW) -09	205/60 R 16 92 H 4x4 2.4 2.3 2.5 2.5
1.6 4x2 / 4x4 (88 kW),	> 205/60 R 16 92 H 4x4
2.0 Multijet 4x4 (99 kW)	

FORD Kuga (DM2) 08-12	
Serienbereifungen	
2.5 4x4 (147 kW),	> 235/55 R 17 99 V 4x4 2.3 2.3 2.4 2.8
2.0 TDCi 4x4 (120 kW)	235/55 R 17 99 V 4x4 SSR 2.3 2.3 2.4 2.8 235/50 R 18 97 V 4x4 2.3 2.3 2.4 2.8 235/45 R 19 95 V 4x4 2.3 2.3 2.4 2.8
2.0 TDCi 2x4/4x4 (103 kW)	> 235/60 R 16 100 V 4x4 2.3 2.3 2.4 2.8 235/55 R 17 99 V 4x4 2.3 2.3 2.4 2.8 235/55 R 17 99 V 4x4 SSR 2.3 2.3 2.4 2.8 235/50 R 18 97 V 4x4 2.3 2.3 2.4 2.8 235/45 R 19 95 V 4x4 2.3 2.3 2.4 2.8
Umrüstungen	
	255/40 R 20 97 4x4

FORD Kuga 13-	
Serienbereifungen	
1.6 2x4 (110 kW),	> 235/55 R 17 99 V 4x4 2.4 2.4 2.4 2.8
1.6 4x4 (134 kW),	235/50 R 18 101 V XL 4x4 2.3 2.3 2.4 2.8
2.0 TDCi 2x4 / 4x4 (103 kW),	235/45 R 19 99 V XL 4x4 2.3 2.3 2.4 2.8
2.0 TDCi 4x4 (120 kW)	

FORD Maverick 01- / 04-07	
Serienbereifungen	
2.0 (97 kW) -04	> 225/70 R 15 100 S 4x4 2.0 2.0 2.0 2.3
2.3 16V (110 kW) 04-	> 215/70 R 16 100 T 4x4 2.0 2.0 2.0 2.3 235/70 R 16 104 T 4x4 2.0 2.0 2.0 2.3 235/55 R 17 99 H 4x4 2.0 2.0 2.0 2.3 235/50 R 18 97 H 4x4 2.0 2.0 2.0 2.3 245/40 R 20 95 H 4x4 2.0 2.0 2.0 2.3
3.0 V6 24V (149 kW)	> 235/70 R 16 106 T 4x4 2.0 2.0 2.0 2.3 235/55 R 17 99 H 4x4 2.0 2.0 2.0 2.3 235/50 R 18 97 H 4x4 2.0 2.0 2.0 2.3 245/40 R 20 95 H 4x4 2.0 2.0 2.0 2.3

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

Umrüstungen	
	215/75 R 15 100 4x4
	215/70 R 16 100 4x4
	235/70 R 16 106 4x4
	215/65 R 16 98 4x4
	255/65 R 16 109 4x4
	235/65 R 17 104 4x4
	235/60 R 16 100 4x4
	255/55 R 16 103 4x4
	275/55 R 17 109 4x4
	255/55 R 18 105 4x4
	255/50 R 17 101 4x4
	235/50 R 18 97 4x4
	255/45 R 18 99 4x4

FORD Ranger 07-11	
Serienbereifungen	
2.5 TDCi (105 kW),	> 235/75 R 15 109 T XL 4x4 2.1 2.1 2.1 2.9
3.0 TDCi (115 kW)	245/70 R 16 111 T XL 4x4 2.1 2.1 2.1 2.7 255/60 R 18 108 H 4x4 2.3 2.3 2.4 3.2
Umrüstungen	
	255/70 R 16 111 4x4
	255/55 R 18 109 XL 4x4

FORD Ranger 12-	
Serienbereifungen	
2.2 TDCi (92 kW),	> 215/70 R 16 108 T C 6PR 4x4 2.4 2.4 2.6 3.8 > 255/70 R 16 111 T 4x4 2.4 2.4 2.6 3.0
2.2 TDCi (110 kW)	> 255/70 R 16 111 T 4x4 265/65 R 17 112 T 4x4
3.2 TDCi (147 kW)	> 265/60 R 18 110 T 4x4 2.4 2.4 2.6 3.0

HONDA CR-V 98- / 02-06	
Serienbereifungen	
2.0 16V (108 kW),	> 205/70 R 15 96 H 4x4 2.0 2.0 2.0 2.2
2.0 16V (110 kW)	205/65 R 16 95 H 4x4 2.0 2.0 2.0 2.2
2.2 CDTi (103 kW) 05-	> 215/65 R 16 98 T 4x4 1.8 1.8 1.8 2.0
Umrüstungen	
	215/65 R 15 96 4x4
	235/60 R 15 98 4x4
	235/60 R 16 100 4x4
	225/55 R 17 97 4x4
	225/50 R 17 94 4x4
	235/50 R 17 96 4x4
	245/45 R 17 95 4x4
	225/45 R 18 91 4x4
	235/45 R 18 94 4x4
	245/45 R 18 96 4x4
	245/40 R 18 93 4x4

HONDA CR-V 07- / 10-	
Serienbereifungen	
2.0 i VTEC (114 kW),	> 225/65 R 17 102 T 4x4 2.1 2.1 2.1 2.3
2.0 (110 kW),	225/60 R 18 100 H 4x4 2.1 2.1 2.1 2.3
1.6 i DTEC (88 kW),	245/45 R 19 98 Y 4x4 2.1 2.1 2.1 2.3
2.2 CTDi (103 kW) -10,	
2.2 i-DTEC (110 kW) 10-	
Umrüstungen	
	235/50 R 19 99 4x4
	255/45 R 19 100 4x4

HONDA HR-V (GH) 99- / 02-05	
Serienbereifungen	
1.6 16V (77 kW),	> 195/70 R 15 93 T 4x4 2.0 2.0 2.0 2.2
1.6 16V (91 kW)	205/60 R 16 92 H 4x4 2.0 2.0 2.0 2.2 205/50 R 16 91 H XL 4x4 2.1 2.1 2.1 2.3
Umrüstungen	
	205/70 R 15 96 4x4
	205/65 R 15 94 4x4
	215/60 R 15 94 4x4
	225/60 R 15 96 4x4
	225/55 R 16 95 4x4
	215/50 R 17 91 4x4
	235/45 R 17 94 4x4
	225/45 R 18 91 4x4
	235/40 R 18 91 4x4
	245/40 R 18 93 4x4

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

HYUNDAI 156 Cross Wagon (Q4) 04-06

Serienbereifungen							
1.9 JTD (110 kW)	>	225/55 R 17	97 V 4x4	2.2	2.2	2.5	2.5
Umrüstungen							
		245/45 R 18	96 4x4				
		245/40 R 19	94 4x4				
		245/35 R 20	95 XL 4x4				
		255/35 R 20	97 XL 4x4				

HYUNDAI Santa Fé (SM) 01-06

Serienbereifungen							
2.4 16V (107 kW),		215/70 R 15	98 T 4x4	2.1	2.1	2.2	2.2
2.0 CRDi (83 kW)	>	225/70 R 16	102 T 4x4	2.1	2.1	2.2	2.2
2.2 CRDi (110 kW)	>	235/65 R 17	104 T 4x4	2.1	2.1	2.2	2.2
		235/60 R 18	103 H 4x4	2.1	2.1	2.2	2.2
2.7 V6 (127 kW)	>	225/70 R 16	102 T 4x4	2.1	2.1	2.2	2.2
2.7 V6 (139 kW)	>	235/65 R 17	104 H 4x4	2.1	2.1	2.2	2.2
		235/60 R 18	103 H 4x4	2.1	2.1	2.2	2.2

Umrüstungen							
		235/70 R 16	106 4x4				
		215/65 R 16	98 4x4				
		235/65 R 17	104 4x4				
		225/60 R 16	98 4x4				
		235/60 R 16	100 4x4				
		235/60 R 18	103 4x4				
		225/55 R 17	97 4x4				
		245/55 R 17	102 4x4				
		235/50 R 18	97 4x4				
		245/45 R 18	96 4x4				
		255/45 R 18	99 4x4				

HYUNDAI Santa Fe 06- / 09-12

Serienbereifungen							
2.4 (128 kW) 09-,	>	235/65 R 17	104 H 4x4	2.1	2.1	2.2	2.2
2.7 V6 (139 kW),		235/60 R 18	103 H 4x4	2.1	2.1	2.2	2.2
2.2 CRDi (114 kW),		255/50 R 19	103 H 4x4	2.1	2.1	2.2	2.2
2.2 CRDi (145 kW) 09-		255/45 R 19	100 H 4x4				
		255/45 R 20	101 H 4x4				

HYUNDAI Santa Fe 12-

Serienbereifungen							
2.4 2wd (141 kW),	>	235/65 R 17	104 H 4x4	2.3	2.3	2.3	2.3
2.0 CRDi 2 wd (110 kW)		235/60 R 18	103 H 4x4	2.3	2.3	2.3	2.3
2.2 CRDi 2wd/4wd (145 kW)	>	235/65 R 17	104 H 4x4	2.3	2.3	2.3	2.3
		235/60 R 18	103 H 4x4	2.3	2.3	2.3	2.3
		235/55 R 19	101 H 4x4	2.3	2.3	2.3	2.3

HYUNDAI Galloper (JK) 99-05

Serienbereifungen							
3.0 V6 (104 kW)	>	235/75 R 15	105 S 4x4	2.3	2.3	2.3	2.6
		265/70 R 15	112 S 4x4	2.3	2.3	2.3	2.6
2.5 TD (73 kW)	>	235/75 R 15	105 S 4x4	2.2	2.2	2.2	2.5
		265/70 R 15	112 S 4x4	2.2	2.2	2.2	2.5

Umrüstungen							
		265/75 R 15	112 4x4				
		255/70 R 15	108 4x4				
		235/70 R 16	106 4x4				
		245/70 R 16	107 4x4				
		255/65 R 16	109 4x4				
		235/65 R 17	104 4x4				
		255/60 R 17	106 4x4				
		275/60 R 17	110 4x4				
		275/55 R 17	109 4x4				
		255/55 R 18	105 4x4				
		285/50 R 18	109 4x4				

HYUNDAI Terracan (HP) 02-07

Serienbereifungen							
2.9 CRDi (120 kW)		235/75 R 15	109 T XL 4x4	2.2	2.2	2.2	2.5
	>	255/65 R 16	109 T 4x4	2.0	2.0	2.0	2.2
		265/55 R 18	108 T 4x4	2.0	2.0	2.0	2.2
		255/50 R 19	103 T 4x4	2.0	2.0	2.0	2.2
		265/45 R 20	104 T 4x4	2.0	2.0	2.0	2.2

Umrüstungen							
		255/70 R 15	108 4x4				
		235/70 R 16	106 4x4				
		245/70 R 16	107 4x4				
		255/70 R 16	111 4x4				
		235/65 R 17	104 4x4				
		255/60 R 17	106 4x4				
		275/55 R 17	109 4x4				

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

		255/55 R 18	105 4x4				
		285/50 R 18	109 4x4				
		285/45 R 19	107 4x4				
		275/40 R 20	106 XL 4x4				
		295/40 R 20	106 4x4				
		265/35 R 22	102 XL 4x4				
		295/30 R 22	103 XL 4x4				

HYUNDAI ix 55 (EN) 09-

Serienbereifungen							
3.0 CRDi (176 kW),	>	245/65 R 17	107 V 4x4	2.2	2.2	2.5	2.8
3.0 V6 CRDi (184 kW)		245/60 R 18	104 V 4x4	2.2	2.2	2.5	2.8
		255/45 R 20	101 V 4x4				

Umrüstungen							
		255/50 R 19	103 4x4				
		265/50 R 19	106 4x4				
		265/45 R 20	104 4x4				

HYUNDAI Tucson (JM) 04-09

Serienbereifungen							
2.0 CVT (104 kW),	>	215/65 R 16	98 H 4x4	2.1	2.1	2.1	2.1
2.7 V6 (127 kW),		235/60 R 16	100 H 4x4	2.1	2.1	2.1	2.1
2.0 CRDi (83 kW) -06,		225/55 R 17	97 H 4x4	2.1	2.1	2.1	2.1
2.0 CRDi VGT (103 kW) 06-		235/45 R 18	94 H 4x4	2.1	2.1	2.1	2.1

HYUNDAI ix 35 (EL) 10-

Serienbereifungen							
1.6 (99 kW),	>	215/70 R 16	100 H 4x4	2.3	2.3	2.6	2.7
1.7 CRDi (85 kW),		225/60 R 17	99 H 4x4	2.3	2.3	2.6	2.7
2.0 CRDi (100 kW)		225/55 R 18	98 H 4x4	2.3	2.3	2.6	2.7
		235/45 R 19	99 H XL 4x4	2.3	2.3	2.6	2.7
		245/45 R 19	98 W 4x4				
		245/40 R 20	99 W XL 4x4	2.3	2.3	2.6	2.7
2.0 (120 kW),	>	215/70 R 16	100 H 4x4	2.3	2.3	2.6	2.7
2.0 CRDi (135 kW)		225/60 R 17	99 H 4x4	2.3	2.3	2.6	2.7
		225/55 R 18	98 H 4x4	2.3	2.3	2.6	2.7
		235/45 R 19	99 H XL 4x4	2.3	2.3	2.6	2.7
		245/45 R 19	98 W 4x4				
		245/40 R 20	99 W XL 4x4	2.3	2.3	2.6	2.7

Umrüstungen							
		235/50 R 18	101 XL 4x4				
		255/45 R 19	100 4x4				

INFINITI EX 09-

Serienbereifungen							
3.7 EX 37 (235 kW)	>	225/55 R 18	98 V 4x4	2.3	2.3	2.3	2.3
		245/45 R 19	98 V 4x4	2.3	2.3	2.3	2.3

INFINITI FX 09-

Serienbereifungen							
3.7 FX 37 (235 kW),	>	265/50 R 20	107 W 4x4	2.3	2.3	2.3	2.3
5.0 FX 50 (287 kW)							

INFINITI QX 80 15-

Serienbereifungen							
5.6 V 8 (298 kW)	>	275/60 R 20	115 W 4x4				
		275/50 R 22	111 W 4x4				

ISUZU Trooper 95-

Serienbereifungen							
3.5 V6 (158 kW),	>	215/80 R 16	103 T 4x4	2.2	2.2	2.2	2.4
3.0 TDI (117 kW)		245/70 R 16	107 T 4x4	2.2	2.2	2.2	2.4

Umrüstungen							
		LT 235/85 R 16	120 4x4				
		225/75 R 16	104 4x4				
		245/75 R 16	111 4x4				
		235/70 R 16	106 4x4				
		255/70 R 16	111 4x4				
		265/70 R 16	112 4x4				
		275/70 R 16	114 4x4				
		255/65 R 16	109 4x4				
		235/65 R 17	104 4x4				
		275/55 R 17	109 4x4				
		255/55 R 18	105 4x4				
		285/50 R 18	109 4x4				
		275/45 R 20	106 4x4				
		275/40 R 20	106 XL 4x4				
		295/40 R 20	106 4x4				
		295/30 R 22	99 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

ISUZU D-Max (TF) 07-	
Serienbereifungen	
2.5 TD (100 kW),	225/75 R 15 T 4x4 2.3 3.3 2.3 3.3
3.0 TD (120 kW)	245/70 R 16 T rf. 4x4 2.0 2.8 2.0 2.8

KIA Sportage (JE) 04-10	
Serienbereifungen	
2.0 CVT (104 kW),	> 215/65 R 16 98 H 4x4 2.2 2.2 2.5 2.5
2.7 V6 (129 kW),	235/60 R 16 100 H 4x4 2.2 2.2 2.5 2.5
2.0 CRDi (83 kW),	235/55 R 17 99 V 4x4 2.2 2.2 2.5 2.5
2.0 CRDi (103 kW)	245/45 R 18 96 W 4x4 2.2 2.2 2.5 2.5
	255/45 R 18 99 Y 4x4 2.2 2.2 2.5 2.5

KIA Sportage (SLS) 10- /14-	
Serienbereifungen	
1.6 GDI (99 kW)	> 215/70 R 16 100 H 4x4 2.3 2.3 2.6 2.7
	225/60 R 17 99 H 4x4 2.3 2.3 2.6 2.7
	235/55 R 18 100 V 4x4 2.3 2.3 2.6 2.7
2.0 GDI / AWD (122 kW),	> 215/70 R 16 100 H 4x4 2.3 2.3 2.6 2.7
1.7 CRDi / AWD (85 kW),	225/60 R 17 99 H 4x4 2.3 2.3 2.6 2.7
2.0 CRDi / AWD (100 kW)	235/55 R 18 100 H 4x4 2.3 2.3 2.6 2.7
2.0 CRDi 184 AWD (135 kW)	> 235/55 R 18 100 H 4x4

Umrüstungen	
	255/55 R 17 104 4x4
	235/45 R 19 99 XL 4x4
	245/45 R 19 102 XL 4x4

KIA Retona 98-05	
Serienbereifungen	
2.0 (100 kW), 2.0 TD (61 kW)	> 205/70 R 15 96 T 4x4 1.9 1.9 1.9 2.0
Umrüstungen	
	205/75 R 15 97 4x4
	215/75 R 15 100 4x4
	215/70 R 15 98 4x4
	225/70 R 15 100 4x4
	235/70 R 15 103 4x4
	215/70 R 16 100 4x4
	215/65 R 15 96 4x4
	215/65 R 16 98 4x4
	235/60 R 15 98 4x4
	225/60 R 16 98 4x4
	225/55 R 17 97 4x4

KIA Sorento (JC) 02- / 06-09	
Serienbereifungen	
2.4 16V (102 kW),	> 225/75 R 16 104 H 4x4 2.4 2.4 2.4 2.4
2.5 CRDi (103 kW)	245/70 R 16 107 H 4x4 2.4 2.4 2.4 2.4
3.5 V6 (144 kW) 03-06	> 225/75 R 16 104 H 4x4 2.4 2.4 2.4 2.4
	245/70 R 16 107 H 4x4 2.4 2.4 2.4 2.4
3.3 V6 (175 kW) 06-,	> 245/70 R 16 107 H 4x4 2.4 2.4 2.4 2.4
2.5 CRDi (125 kW) 06-	245/65 R 17 107 H 4x4 2.4 2.4 2.4 2.4
	255/60 R 17 106 W 4x4 2.4 2.4 2.4 2.4
	255/55 R 18 105 W 4x4 2.4 2.4 2.4 2.4

Umrüstungen	
	235/70 R 16 106 4x4
	255/65 R 16 109 4x4
	235/65 R 17 104 4x4
	275/60 R 17 110 4x4
	235/60 R 18 103 4x4
	275/55 R 17 109 4x4
	255/55 R 18 105 4x4
	285/50 R 18 109 4x4
	255/50 R 19 103 4x4
	275/40 R 20 106 XL 4x4
	295/40 R 20 106 4x4
	265/35 R 22 102 XL 4x4
	295/30 R 22 103 XL 4x4

KIA Sorento (XM) 10- 12 / 13-	
Serienbereifungen	
2.4 GDI / AWD (141 kW) 13-,	> 235/65 R 17 104 H 4x4 2.3 2.3 2.3 2.3
2.2 CRDi / AWD (145 kW)	235/60 R 18 103 H 4x4 2.3 2.3 2.3 2.3
	235/55 R 19 101 H 4x4 2.3 2.3 2.3 2.3
2.4 (99 kW), 2.4 (128 kW)	> 235/65 R 17 104 H 4x4 2.3 2.3 2.3 2.3
	235/60 R 18 103 H 4x4 2.3 2.3 2.3 2.3
	235/55 R 19 101 H 4x4 2.3 2.3 2.3 2.3

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

Umrüstungen	
	255/60 R 17 106 4x4
	255/55 R 18 105 4x4
	255/50 R 19 103 4x4
	255/45 R 20 101 H 4x4

LADA Niva (21214-4x4) 93- / 02- / 10-	
Serienbereifungen	
1.7 i (60 kW)	205/70 R 15 96 T 4x4 1.8 1.9 1.8 1.9
1.7 (61 kW) 10-	> 215/65 R 16 98 Q 4x4 2.1 1.9 2.1 2.1
Umrüstungen	
	205/75 R 15 97 4x4
	215/70 R 15 98 4x4

LAND ROVER Freelander (LN) 98-06	
Serienbereifungen	
1.8 i (86 kW),	> 195/80 R 15 96 T 4x4 2.0 2.0 2.0 2.2
2.0 Td4 (82 kW)	215/65 R 16 98 T 4x4 2.0 2.0 2.0 2.2
	225/55 R 17 97 T 4x4 2.0 2.0 2.0 2.2
	235/50 R 18 97 H 4x4 2.0 2.0 2.0 2.2
2.5 V6 (130 kW)	> 195/80 R 15 96 H 4x4 2.1 2.1 2.1 2.3
	215/65 R 16 98 H 4x4 2.1 2.1 2.1 2.3
	225/55 R 17 97 H 4x4 2.1 2.1 2.1 2.3
	235/50 R 18 97 H 4x4 2.1 2.1 2.1 2.3

Umrüstungen	
	205/75 R 15 97 4x4
	215/75 R 15 100 4x4
	205/70 R 15 96 4x4
	215/70 R 15 98 4x4
	235/60 R 16 100 4x4
	235/55 R 17 99 4x4
	255/50 R 17 101 4x4

LAND ROVER Freelander 2 (LF) 07- / 10-14	
Serienbereifungen	
2.2 SD4 (140 kW)	> 215/75 R 16 103 H 4x4 2.2 2.2 2.2 2.2
	235/65 R 17 104 V 4x4 2.2 2.2 2.2 2.2
	235/60 R 18 103 V 4x4 2.2 2.2 2.2 2.2
	235/55 R 19 101 V 4x4 2.4 2.4 2.4 2.4
	245/45 R 20 103 V XL 4x4
3.2 i 6 (171 kW)	> 235/65 R 17 104 4x4 2.2 2.2 2.2 2.2
	235/60 R 18 103 4x4 2.2 2.2 2.2 2.2
	235/55 R 19 101 4x4 2.4 2.4 2.4 2.4
	245/45 R 20 103 V XL 4x4
2.2 TD 4 (118 kW),	> 215/75 R 16 103 H 4x4 2.2 2.2 2.2 2.2
2.2 eD4 (110 kW),	235/65 R 17 104 V 4x4 2.2 2.2 2.2 2.2
2.2 TD4 (110 kW)	235/60 R 18 103 V 4x4 2.2 2.2 2.2 2.2
	235/55 R 19 101 V 4x4 2.4 2.4 2.4 2.4
	245/45 R 20 103 V XL 4x4

Umrüstungen	
	255/60 R 17 106 4x4 4x4
	255/55 R 18 105 4x4 4x4
	255/50 R 19 103 4x4 4x4
	255/45 R 20 101 4x4 4x4

LAND ROVER Defender (90 / 110 / 130) -99 / 99- / 07-	
Serienbereifungen	
2.5 Td5 - 90 (90 kW)	LT 235/85 R 16 120 Q 4x4 2.3 2.3 2.3 2.5
	265/75 R 16 116 Q 4x4 2.1 2.1 2.1 2.3
	235/70 R 16 106 S 4x4 2.3 2.3 2.3 2.5
2.5 Td5 - 110 (90 kW)	> 265/75 R 16 116 Q 4x4 2.1 2.3 2.3 2.6

Umrüstungen	
	215/85 R 16 4x4
	LT 235/85 R 16 120 4x4
	225/75 R 16 104 4x4
	235/75 R 16 106 4x4
	245/75 R 16 111 4x4
	265/75 R 16 116 4x4
	225/70 R 16 102 4x4
	245/70 R 16 107 4x4
	255/70 R 16 111 4x4
	265/70 R 16 112 4x4
	275/70 R 16 114 4x4
	255/65 R 16 109 4x4
	255/50 R 19 103 4x4

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

LAND ROVER						
Discovery 3 (LA) 04–09						
Serienbereifungen						
4.4 V8 (220 kW)	> 235/65 R 18	110 H XL 4x4	2.3	2.3	2.3	2.6
	255/60 R 18	112 H XL 4x4	2.3	2.3	2.3	2.6
	255/55 R 19	107 H 4x4	2.3	2.3	2.3	2.6
	255/50 R 20	109 V XL 4x4	2.3	2.3	2.3	2.6
2.7 TD V6 (140 kW)	> 235/70 R 17	111 H XL 4x4	2.3	2.3	2.3	2.6
	235/65 R 18	110 H XL 4x4	2.3	2.3	2.3	2.6
	255/60 R 18	112 H XL 4x4	2.3	2.3	2.3	2.6
	255/55 R 19	107 H 4x4	2.3	2.3	2.3	2.6
	255/50 R 20	109 V XL 4x4	2.3	2.3	2.3	2.6

LAND ROVER						
Discovery 4 (LA) 09–						
Serienbereifungen						
2.7 TD V6 (140 kW),	> 235/70 R 18	111 H XL 4x4	2.3	2.5	2.5	2.9
	255/60 R 18	112 V XL 4x4	2.3	2.5	2.5	2.9
3.0 TD V 6 (155 kW),	> 255/55 R 19	111 V XL 4x4	2.3	2.5	2.5	2.9
	255/50 R 20	109 V XL 4x4	2.3	2.5	2.5	2.9
3.0 TD V 6 (180 kW),						
3.0 SD V 6 (188 kW)						

LAND ROVER						
Discovery Sport 15						
Serienbereifungen						
2.0 eD4 (110 kW),	> 235/65 R 17	104 H 4x4	2.4	2.1	2.5	2.8
	235/60 R 18	103 H 4x4	2.4	2.1	2.5	2.8
	235/55 R 19	101 H 4x4	2.4	2.1	2.5	2.8
	245/45 R 20	103 V XL 4x4	2.4	2.1	2.5	2.8
2.0 Si4 (177 kW)	> 235/65 R 17	104 V 4x4	2.4	2.1	2.5	2.8
	235/60 R 18	103 V 4x4	2.4	2.1	2.5	2.8
	235/55 R 19	101 V 4x4	2.4	2.1	2.5	2.8
	245/45 R 20	103 V XL 4x4	2.4	2.1	2.5	2.8

LAND ROVER						
Range Rover (LM) 02–05						
Serienbereifungen						
4.4 V8 (210 kW),	235/65 R 18	106 H 4x4	2.3	2.3	2.3	2.6
	> 255/60 R 18	112 H XL 4x4	2.3	2.3	2.3	2.6
	255/55 R 19	111 H XL 4x4	2.3	2.3	2.3	2.6
	255/50 R 20	109 H XL 4x4	2.3	2.3	2.3	2.6
Umrüstungen	285/50 R 18	109 4x4				
	275/45 R 19	108 XL 4x4				
	275/45 R 20	106 4x4				
	295/45 R 20	110 4x4				
	275/40 R 20	106 XL 4x4				

LAND ROVER						
Range Rover (LM) 05–09 / 10–12						
Serienbereifungen						
4.4 V 8 (225 kW) –07	> 255/60 R 18	108 V 4x4	2.3	2.3	2.3	2.6
	255/55 R 19	107 V 4x4	2.3	2.3	2.3	2.6
	255/50 R 20	109 V XL 4x4	2.3	2.3	2.3	2.6
4.2 V 8 Supercharged (291 kW) –09,	> 255/50 R 20	109 V XL 4x4	2.3	2.3	2.3	2.6
5.0 V 8 (375 kW) 09–						
3.0 TD 6 (130 kW) –06,	> 255/60 R 18	108 V 4x4	2.3	2.3	2.3	2.6
	255/55 R 19	107 V 4x4	2.3	2.3	2.3	2.6
	255/50 R 20	109 V XL 4x4	2.3	2.3	2.3	2.6
3.6 TD V 8 (200 kW) 06–10	> 255/55 R 19	111 V XL 4x4	2.3	2.5	2.5	3.0
	255/50 R 20	109 V XL 4x4	2.3	2.5	2.5	3.0
Umrüstungen	285/50 R 18	109 4x4				
	275/45 R 19	108 XL 4x4				
	295/45 R 20	110 4x4				
	275/40 R 20	106 XL 4x4				

LAND ROVER						
Range Rover Sport (LS) 05– / 09–13						
Serienbereifungen						
4.4 V8 (220 kW)	> 255/55 R 18	109 V XL 4x4	2.3	2.5	2.6	2.9
	> 255/50 R 19	107 V XL 4x4	2.3	2.5	2.6	2.9
	275/40 R 20	106 Y XL 4x4	2.3	2.5	2.6	2.9
4.2 V8 Supercharged (287 kW)	> 255/50 R 19	107 Y XL 4x4	2.3	2.5	2.6	2.9
	275/40 R 20	106 Y XL 4x4	2.3	2.5	2.6	2.9
2.7 TDV6 (140 kW)	> 235/65 R 17	108 V XL 4x4	2.3	2.5	2.6	2.9
	255/55 R 18	109 V XL 4x4	2.3	2.5	2.6	2.9
	255/50 R 19	107 V XL 4x4	2.3	2.5	2.6	2.9
	275/40 R 20	106 Y XL 4x4	2.3	2.5	2.6	2.9
3.0 TD V 6 (155 kW),	> 255/50 R 19	107 V XL 4x4	2.3	2.5	2.6	2.9
	275/40 R 20	106 Y XL 4x4	2.3	2.5	2.6	2.9
3.0 TD V 6 (180 kW),						
3.0 SD V 6 (188 kW),						
3.6 TD V 8 (200 kW)						
5.0 V8 SC (375 kW) 09–	> 255/50 R 19	107 Y XL 4x4				
	275/40 R 20	106 Y XL 4x4				

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

LAND ROVER						
Sport (L494) 13–						
Serienbereifungen						
3.0 TD V 6 (190 kW)	> 235/65 R 19	109 V XL 4x4	2.3	2.5	2.6	2.9
	255/50 R 20	110 V XL 4x4	2.3	2.5	2.6	2.9
	275/45 R 21	110 V XL 4x4	2.3	2.5	2.6	2.9
	275/40 R 22	108 V XL 4x4	2.3	2.5	2.6	2.9
3.0 SD V 6 (215 kW)	> 255/50 R 20	110 V XL 4x4	2.3	2.5	2.6	2.9
	275/45 R 21	110 V XL 4x4	2.3	2.5	2.6	2.9
	275/40 R 22	108 V XL 4x4	2.3	2.5	2.6	2.9
5.0 V 8 (375 kW)	> 275/45 R 21	110 W XL 4x4	2.3	2.5	2.6	2.9
	275/40 R 22	108 W XL 4x4	2.3	2.5	2.6	2.9

Umrüstungen						
	275/55 R 19	111 4x4				
	275/50 R 20	109 4x4				
	295/45 R 20	110 4x4				

LAND ROVER						
Evoque (L550) 11–						
Serienbereifungen						
2.0 Si4 (177 kW),	235/65 R 17	104 V 4x4	2.4	2.1	2.4	2.1
	235/60 R 18	107 V XL 4x4	2.4	2.1	2.4	2.1
2.2 SD4 (140 kW)	235/55 R 19	105 V XL 4x4	2.5	2.2	2.5	2.2
	245/45 R 20	103 V XL 4x4	2.7	2.4	2.7	2.4
2.2 eD4 (110 kW),	235/65 R 17	104 V 4x4	2.4	2.1	2.4	2.1
	235/60 R 18	107 V XL 4x4	2.4	2.1	2.4	2.1
2.2 TD4 (110 kW)	235/55 R 19	105 V XL 4x4	2.5	2.2	2.5	2.2
	245/45 R 20	103 V XL 4x4	2.7	2.4	2.7	2.4

Umrüstungen						
	275/45 R 19	104 4x4				
	275/40 R 20	106 XL 4x4				
	295/35 R 21	107 XL 4x4				
	295/30 R 22	103 XL 4x4				

LAND ROVER						
(L405) 13–						
Serienbereifungen						
3.0 V 6 Supercharged (250 kW),	> 235/65 R 19	109 W XL 4x4	2.3	2.5	2.5	3.0
	255/50 R 20	110 W XL 4x4	2.3	2.5	2.5	3.0
3.0 TD V 6 (190 kW),	275/45 R 21	110 W XL 4x4	2.3	2.5	2.5	3.0
	275/40 R 22	108 Y XL 4x4	2.3	2.5	2.5	3.0
4.4 SD V 8 (250 kW)	> 255/50 R 20	110 W XL 4x4	2.3	2.5	2.5	3.0
	275/45 R 21	110 W XL 4x4	2.3	2.5	2.5	3.0
5.0 V 8 (276 kW),						
5.0 V 8 Supercharged (375 kW)						
	275/40 R 22	108 Y XL 4x4	2.3	2.5	2.5	3.0

LEXUS						
RX (XU*) 00– / 03– / 05–						
Serienbereifungen						
3.0 V6 (148 kW) –03	215/70 R 16	100 T 4x4	2.3	2.3	2.3	2.3
	> 225/60 R 17	99 T 4x4	2.3	2.3	2.3	2.3
3.0 V6 RX 300 (150 kW) –06, 3.3 V6 (171 kW)	> 225/60 R 17	99 V 4x4	2.2	2.2	2.2	2.2
	235/55 R 18	100 V 4x4	2.2	2.2	2.2	2.2
3.3 V6 400 h Hybrid (200 kW),	> 235/60 R 18	103 V 4x4	2.2	2.3	2.2	2.3
	235/55 R 18	100 V 4x4	2.2	2.3	2.2	2.3
3.5 V6 450 h Hybrid (220 kW)						
3.5 V6 350 (204 kW) 06–	225/60 R 17	99 V 4x4	2.2	2.3	2.2	2.3
	> 235/60 R 18	103 V 4x4	2.2	2.3	2.2	2.3
	235/55 R 18	100 V 4x4	2.2	2.3	2.2	2.3
Umrüstungen	235/60 R 17	102 4x4				
	225/55 R 17	97 4x4				
	235/50 R 18	97 4x4				

LEXUS						
GX 02–						
Serienbereifungen						
4.7 V8 32V (175 kW)	> 265/65 R 17	112 H 4x4	2.6	2.6	2.6	2.9
Umrüstungen	265/60 R 18	110 4x4				
	255/55 R 19	111 XL 4x4				
	265/50 R 20	111 XL 4x4				

MAZDA						
Tribute 01– / 04–06						
Serienbereifungen						
2.0 16V (91 kW) –04,	> 215/70 R 16	100 T 4x4	2.2	2.2	2.2	2.2
	2.3 16V (104 kW) 04–,					
3.0 24V (145 kW)	> 235/70 R 16	106 T 4x4	2.2	2.2	2.2	2.2
Umrüstungen	225/70 R 16	102 4x4				
	235/70 R 16	106 4x4				
	255/65 R 16	109 4x4				
	235/65 R 17	104 4x4				
	235/60 R 18	103 4x4				
	275/55 R 17	109 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

255/55 R 18	105 4x4
235/50 R 18	97 4x4
255/50 R 19	103 4x4
275/40 R 20	102 4x4

MAZDA CX-5 12-

Serienbereifungen								
2.0 (118 kW), 2.0 (121 kW)	>	225/65	R 17	102 V 4x4	2.3	2.3	2.6	2.8
2.2 D (110 kW)		225/55	R 19	99 V 4x4	2.3	2.3	2.6	2.8
2.2 D (129 kW)	>	225/55	R 19	99 V 4x4	2.3	2.3	2.6	2.8

Umrüstungen								
		225/60	R 18	100 4x4				
		235/50	R 19	99 4x4				
		235/45	R 20	100 XL 4x4				
		245/45	R 20	99 4x4				

MAZDA CX-7 (ER) 06- / 09-

Serienbereifungen								
2.3 16V Turbo (190 kW)	>	235/60	R 18	103 V 4x4	2.2	2.2	2.2	2.7
2.2 MZR-CD (127 kW) 09-	>	235/60	R 18	103 V 4x4	2.2	2.2	2.2	2.7
		235/55	R 19	101 V 4x4	2.2	2.2	2.2	2.7

Umrüstungen								
		255/60	R 18	108 4x4				
		255/55	R 18	105 4x4				
		255/50	R 19	103 4x4				

MAZDA CX-9 (TB1) 07-

Serienbereifungen								
3.8 (204 kW)	>	245/60	R 18	104 H 4x4				
		255/60	R 18	108 H 4x4				
		245/50	R 20	102 V 4x4				
		255/50	R 20	105 V 4x4				

Umrüstungen								
		245/55	R 19	103 4x4				
		265/50	R 19	106 4x4				
		275/45	R 20	106 4x4				

MAZDA BT-50 07-

Serienbereifungen								
2.5 CD (105 kW)	>	235/75	R 15	109 T XL 4x4	2.1	2.1	2.1	2.9
3.0 D (115 kW)		245/70	R 16	111 T XL 4x4	2.1	2.1	2.1	2.7

MAZDA B 2500

Serienbereifungen								
2.5 D (57 kW)		235/75	R 15	105 Q 4x4	2.0	2.0	2.2	2.5
2.5 TD (80 kW)								

Umrüstungen								
		225/75	R 15	102 4x4				
		225/75	R 16	104 4x4				
		225/70	R 15	100 4x4				
		235/70	R 15	103 4x4				
		225/70	R 16	102 4x4				
		235/70	R 16	106 4x4				
		255/65	R 16	109 4x4				
		235/65	R 17	104 4x4				
		255/55	R 18	105 4x4				
		255/50	R 19	103 4x4				
		275/40	R 20	102 4x4				

MERCEDES-BENZ GLA (X 156) 14-

Serienbereifungen								
1.6 GLA 200 (115 kW)	>	215/60	R 17	96 V 4x4				
1.6 GLA 180 CDI (80 kW)		235/50	R 18	97 V 4x4				
2.2 GLA 200 CDI (100 kW)		235/50	R 18	97 V 4x4 SSR				
2.2 GLA 220 CDI (125 kW)		235/45	R 19	95 V 4x4				
		235/45	R 19	95 V 4x4 SSR				

2.0 GLA 250 (155 kW)	>	215/60	R 17	96 W 4x4				
		235/50	R 18	97 W 4x4				
		235/50	R 18	97 W 4x4 SSR				
		235/45	R 19	95 W 4x4				
2.0 GLA 45 AMG 4M (265 kW)	>	235/45	R 19	95 Y 4x4				
		235/40	R 20	96 Y XL 4x4				

MERCEDES-BENZ GLK (X 204) 08 - 15

Serienbereifungen								
3.0 GLK 300 (170 kW)	>	235/60	R 17	102 V 4x4	2.3	2.3	2.5	2.9
2.1 GLK 200 CDI (105 kW)		235/60	R 17	102 V VA 4x4	2.3		2.5	
2.1 GLK 220 CDI (125 kW)		255/55	R 17	104 V HA 4x4			2.3	2.9
2.1 GLK 250 CDI (150 kW)		235/50	R 19	99 V 4x4	2.3	2.3	2.5	2.9
		235/50	R 19	99 V VA 4x4	2.3		2.5	
		255/45	R 19	100 V HA 4x4			2.3	2.9
		235/45	R 20	100 W VA XL 4x4	2.3		2.5	
		255/40	R 20	101 W HA XL 4x4			2.3	2.9

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

3.5 GLK 350 (200 kW)	>	235/60	R 17	102 V 4x4	2.3	2.3	2.5	2.9
3.5 GLK 350 (225 kW)		235/60	R 17	102 V VA 4x4	2.3		2.5	
3.0 GLK 350 CDI (165 kW)		255/55	R 17	104 V HA 4x4			2.3	2.9
3.0 GLK 350 CDI (170 kW)		235/50	R 19	99 V 4x4	2.3	2.3	2.5	2.9
		235/50	R 19	99 V VA 4x4	2.3		2.5	
		255/45	R 19	100 V HA 4x4			2.3	2.9
		235/45	R 20	100 W VA XL 4x4	2.3		2.5	
		255/40	R 20	101 W HA XL 4x4			2.3	2.9

MERCEDES-BENZ R (251) 05- / 07-10

Serienbereifungen								
3.0 V6 R 280 (170 kW) 07-,	>	235/65	R 17	104 W 4x4	2.2	2.2	2.2	2.7
3.5 V6 R 350 (200 kW)		255/55	R 18	105 W 4x4	2.2	2.2	2.2	2.7
3.0 V6 R 280 CDI (140 kW)		255/50	R 19	103 W 4x4	2.2	2.2	2.2	2.7
06-,		255/50	R 19	103 W 4x4 SSR	2.2	2.2	2.2	2.7
3.0 V6 R 320 CDI (165 kW)		255/50	R 19	103 W VA 4x4	2.2		2.2	
		285/45	R 19	107 W HA 4x4			2.2	2.7
		265/40	R 21	105 Y XL 4x4				

5.0 V8 R 500 (225 kW)	>	255/55	R 18	105 W 4x4	2.2	2.2	2.2	2.7
		255/50	R 19	103 W 4x4	2.2	2.2	2.2	2.7
		255/50	R 19	103 W 4x4 SSR	2.2	2.2	2.2	2.7
		255/50	R 19	103 W VA 4x4	2.2		2.2	
		285/45	R 19	107 W HA 4x4			2.2	2.7
		265/40	R 21	105 Y XL 4x4				

6.2 V8 R 63 AMG (375 kW)	>	265/40	R 18	101 Y XL 4x4	2.1	2.3	2.3	2.8
06-		265/40	R 21	105 W XL 4x4	2.1	2.3	2.3	2.8

Umrüstungen								
		255/60	R 18	108 4x4				
		255/45	R 20	105 XL 4x4				
		265/45	R 20	104 4x4				
		295/35	R 21	107 XL 4x4				

MERCEDES-BENZ R (251) 10 - 14

Serienbereifungen								
3.0 R 300 (170 kW)	>	255/55	R 18	105 W 4x4				
3.5 R 350 (200 kW)		255/50	R 19	103 Y 4x4				
3.5 R 350 (225 kW)		255/50	R 19	103 Y 4x4 SSR				
3.0 R 350 CDI (195 kW)		265/45	R 20	104 Y 4x4				
		265/40	R 21	105 Y XL 4x4				

3.0 R 350 BlueTEC (155 kW)	>	235/65	R 17	104 V 4x4				
3.0 R 300 CDI (140 kW)		255/55	R 18	105 W 4x4				
		255/50	R 19	103 Y 4x4				
		255/50	R 19	103 Y 4x4 SSR				
		265/45	R 20	104 Y 4x4				
		265/40	R 21	105 Y XL 4x4				

5.5 R 500 (285 kW)	>	255/50	R 19	103 Y 4x4				
		255/50	R 19	103 Y 4x4 SSR				
		265/45	R 20	104 Y 4x4				
		265/40	R 21	105 Y XL 4x4				

MERCEDES-BENZ M (W 164) 05-11

Serienbereifungen								
3.5 V6 ML 350 (200 kW)	>	235/65	R 17	104 V 4x4	2.2	2.2	2.2	2.7
2.8 V6 ML 280 CDI (140 kW)		255/55	R 18	105 V 4x4	2.2	2.2	2.2	2.7
3.2 V6 ML 320 CDI (165 kW)		255/50	R 19	103 W 4x4 SSR	2.2	2.2	2.2	2.7
		255/50	R 19	103 W VA 4x4	2.2		2.2	
		285/45	R 19	107 W HA 4x4			2.2	2.7
		295/40	R 20	106 W 4x4	2.2	2.2	2.2	2.7

5.0 V8 ML 500 (225 kW)	>	255/55	R 18	105 W 4x4	2.2	2.2	2.2	2.7
4.0 V8 ML 420 CDI (225 kW)		255/50	R 19	103 W 4x4 SSR	2.2	2.2	2.2	2.7
06-		255/50	R 19	103 W VA 4x4	2.2		2.2	
		285/45	R 19	107 W HA 4x4			2.2	2.7
		295/40	R 20	106 W 4x4	2.2	2.2	2.2	2.7

6.2 V8 ML 63 AMG (375 kW)	>	295/45	R 19	109 W 4x4	2.4	2.4	2.5	2.8
06-		295/40	R 20	106 Y 4x4	2.4	2.4	2.5	2.8

Umrüstungen								
		295/45	R 19	109 4x4				
		295/35	R 21	107 XL 4x4				

MERCEDES-BENZ M (W 166) 12-

Serienbereifungen								
2.1 ML 250 D (150 kW)	>	235/65	R 17	104 V 4x4	2.3	2.7	2.8	3.0
3.0 ML 350 D (190 kW)		255/55	R 18	105 W 4x4	2.2	2.2	2.8	3.0
		255/50	R 19	103 W 4x4	2.2	2.2	2.8	3.0
		255/50	R 19	103 W 4x4 SSR	2.2	2.2	2.8	3.0
		265/45	R 20	104 Y 4x4	2.2	2.2	2.8	3.0
		265/45	R 20	104 Y 4x4 SSR	2.2	2.2	2.8	3.0
		265/40	R 21	105 Y XL 4x4	2.2	2.2	2.8	3.0

Hersteller	Reifengröße	LI/SI	Luft- druck VA		Luft- druck HA		Luft- druck VA		Luft- druck HA	
			Teillast	Teillast	Teillast	Volllast	Teillast	Volllast	Teillast	Volllast
3.5 ML 350 (225 kW)	> 255/55 R 18	105 W 4x4								
3.0 ML 400 (245 kW)	255/50 R 19	103 W 4x4								
	255/50 R 19	103 W 4x4 SSR								
	265/45 R 20	104 Y 4x4								
	265/45 R 20	104 Y 4x4 SSR								
	265/40 R 21	105 Y XL 4x4								
4.7 ML 500 (300 kW)	255/50 R 19	103 W 4x4								
	255/50 R 19	103 W 4x4 SSR								
	265/45 R 20	104 Y 4x4								
	265/45 R 20	104 Y 4x4 SSR								
	265/40 R 21	105 Y XL 4x4								
5.5 ML 63 AMG (386 kW)	> 265/45 R 20	104 Y 4x4								
	295/35 R 21	107 Y XL 4x4								
MERCEDES-BENZ G (463) 96-08										
Serienbereifungen										
3.2 V6 - G 320 (158 kW),	> 265/70 R 16	112 H 4x4	2.6	2.6	2.6	2.8				
2.7 - G 270 CDI (115 kW),	255/65 R 16	109 H 4x4	2.6	2.6	2.6	2.8				
3.0 - G 320 CDI (165 kW)	265/60 R 18	110 H 4x4	2.6	2.6	2.6	2.8				
06-	285/55 R 18	113 H 4x4	2.6	2.6	2.6	2.8				
	275/55 R 19	111 H 4x4	2.6	2.6	2.6	2.8				
5.0 V8 - G 500 (218 kW),	> 255/65 R 16	109 H 4x4	2.7	2.7	2.7	3.1				
4.0 V8 - G 400 CDI (184 kW)	265/60 R 18	110 H 4x4	2.7	2.7	2.7	3.1				
	285/55 R 18	113 H 4x4	2.7	2.7	2.7	3.1				
	275/55 R 19	111 H 4x4	2.7	2.7	2.7	3.1				
5.4 - G 55 AMG (260 kW)	> 265/60 R 18	110 H 4x4	2.6	2.6	2.6	2.8				
99-04	285/55 R 18	113 H 4x4	2.6	2.6	2.6	2.8				
5.4 - G 55 AMG (350 kW)	> 285/55 R 18	117 V XL 4x4	2.6	2.6	2.6	2.8				
04-06,										
5.4 - G 55 AMG (368 kW)										
06-										
Umrüstungen	275/70 R 16	114 4x4								
	255/55 R 18	105 4x4								
	255/55 R 18	109 XL 4x4								
	275/55 R 19	111 4x4								
	285/50 R 18	109 4x4								
	285/45 R 19	107 4x4								
	295/45 R 20	110 4x4								
MERCEDES-BENZ G (463) 08- / 12-										
Serienbereifungen										
3.0 G 350 BlueTEC	> 265/70 R 16	112 H 4x4								
D (155 kW)	265/60 R 18	110 V 4x4								
5.5 G 500 (285 kW)	265/60 R 18	110 V 4x4								
5.5 G 55 AMG (373 kW)	> 275/55 R 19	111 V 4x4								
5.5 G 63 AMG (400 kW),	> 275/50 R 20	109 W 4x4								
6.0 G 65 AMG (450 kW)										
Umrüstungen	275/55 R 19	111 4x4								
MERCEDES-BENZ GL (X 164) 06- / 09-12										
Serienbereifungen										
4.7 GL 450 (250 kW),	> 275/55 R 19	111 W 4x4	2.2	2.2	2.2	2.6				
3.0 GL 350 BlueTEC	275/50 R 20	109 W 4x4	2.2	2.2	2.2	2.6				
D (155 kW),	295/40 R 21	111 W XL 4x4	2.2	2.2	2.2	2.6				
4.0 GL 420 CDI (225 kW),										
3.0 GL 350 CDI (195 kW)										
5.5 GL 500 (285 kW)	> 275/55 R 19	111 W 4x4	2.2	2.2	2.2	2.6				
	275/50 R 20	109 W 4x4	2.2	2.2	2.2	2.6				
	295/40 R 21	111 W XL 4x4	2.2	2.2	2.2	2.6				
3.0 GL 320 CDI (165 kW)	> 265/60 R 18	110 V 4x4	2.2	2.2	2.2	2.6				
	275/55 R 19	111 V 4x4	2.2	2.2	2.2	2.6				
	275/50 R 20	109 V 4x4	2.2	2.2	2.2	2.6				
	295/40 R 21	111 W XL 4x4	2.2	2.2	2.2	2.6				
MERCEDES-BENZ GL (166) 12-										
Serienbereifungen										
4.7 GL 500 (320 kW)	> 275/55 R 19	111 W 4x4								
	275/50 R 20	109 W 4x4								
	295/40 R 21	111 Y XL 4x4								
3.0 GL 350 BlueTEC	> 265/60 R 18	110 V 4x4								
D (190 kW)	275/55 R 19	111 W 4x4								
	275/50 R 20	109 W 4x4								
	295/40 R 21	111 Y XL 4x4								
5.5 GL 63 AMG (410 kW)	> 295/40 R 21	111 Y XL 4x4								

Hersteller	Reifengröße	LI/SI	Luft- druck VA		Luft- druck HA		Luft- druck VA		Luft- druck HA	
			Teillast	Teillast	Teillast	Volllast	Teillast	Volllast	Teillast	Volllast
MITSUBISHI Pajero Pinin (H60W) 99-05										
Serienbereifungen										
1.8 GDI (84 kW),	> 215/65 R 16	98 T 4x4	2.0	2.0	2.0	2.2				
2.0 GDI (95 kW) 01-	225/55 R 17	97 T 4x4	2.0	2.0	2.0	2.2				
	225/50 R 17	94 T 4x4	2.0	2.0	2.0	2.2				
	235/50 R 18	97 T 4x4	2.0	2.0	2.0	2.2				
	255/45 R 18	99 T 4x4	2.0	2.0	2.0	2.2				
Umrüstungen	225/60 R 16	98 4x4								
	235/60 R 16	100 4x4								
	255/50 R 17	101 4x4								
	245/45 R 18	96 4x4								
MITSUBISHI Pajero (V60) 00-07										
Serienbereifungen										
3.5 V6 24V (149 kW),	235/80 R 16	109 T 4x4	2.0	2.0	2.0	2.4				
3.2 DI-D (118 kW)	> 265/70 R 16	112 H 4x4	2.0	2.0	2.0	2.4				
Umrüstungen	225/75 R 16	104 4x4								
	235/70 R 16	106 4x4								
	245/70 R 16	107 4x4								
	255/65 R 16	109 4x4								
	235/65 R 17	104 4x4								
	275/60 R 17	110 4x4								
	265/60 R 18	110 4x4								
	285/60 R 18	116 4x4								
	275/55 R 17	109 4x4								
	255/55 R 18	105 4x4								
	285/50 R 18	109 4x4								
	255/50 R 19	107 XL 4x4								
	255/50 R 20	109 XL 4x4								
	275/40 R 20	102 4x4								
	265/35 R 22	102 XL 4x4								
MITSUBISHI Pajero 07-										
Serienbereifungen										
3.8 V6 (184 kW),	265/65 R 17	112 V 4x4								
3.2 DI-D (147 kW)	> 265/60 R 18	110 V 4x4	2.2	2.4	2.4	2.8				
3.2 DI-D (125 kW)	> 265/65 R 17	112 H 4x4	2.2	2.4	2.4	2.8				
	265/60 R 18	110 H 4x4	2.2	2.4	2.4	2.8				
Umrüstungen	275/55 R 19	111 4x4								
	265/50 R 20	111 XL 4x4								
	275/50 R 20	109 4x4								
MITSUBISHI Pajero Sport (K90) 00-										
Serienbereifungen										
3.0 V6 24V (130 kW),	> 245/70 R 16	107 Q 4x4	2.3	2.3	2.3	2.5				
2.5 TD (85 kW) 02-,	255/70 R 16	111 Q 4x4	2.3	2.3	2.3	2.5				
2.5 TD + (98 kW)										
Umrüstungen	225/75 R 16	104 4x4								
	245/75 R 16	111 4x4								
	265/70 R 16	112 4x4								
	275/70 R 16	114 4x4								
	255/65 R 16	109 4x4								
	235/65 R 17	104 4x4								
	255/60 R 17	106 4x4								
	265/60 R 17	108 4x4								
	275/60 R 17	110 4x4								
	235/60 R 18	103 4x4								
	255/60 R 18	108 4x4								
	275/55 R 17	109 4x4								
	255/55 R 18	105 4x4								
	285/55 R 18	113 4x4								
	285/50 R 18	109 4x4								
	275/40 R 20	106 XL 4x4								
MITSUBISHI Outlander (CUOW) 03-07										
Serienbereifungen										
2.0 (100 kW),	> 215/60 R 16	95 H 4x4	2.2	2.2	2.7	2.7				
2.4 Sport (118 kW)	215/55 R 17	94 V 4x4	2.2	2.2	2.7	2.7				
2.0 Turbo (148 kW)	> 215/55 R 17	94 V	2.2	2.2	2.7	2.7				
Umrüstungen	225/55 R 17	97 4x4								
	215/50 R 17	91 4x4								
	225/45 R 18	91 4x4								

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

MITSUBISHI Outlander (CUOW) 07- / 10-12

Serienbereifungen							
2.0 MIVEC (108 kW), 2.4 MIVEC (125 kW)	> 215/70	R 16	100 V 4x4	2.2	2.2	2.2	2.2
	225/55	R 18	98 V 4x4	2.2	2.2	2.2	2.2
2.0 Di-D (103 kW), 2.2 Di-D (115 kW), 2.2 Di-D (130 kW)	> 215/70	R 16	100 V 4x4	2.2	2.2	2.2	2.2
	225/55	R 18	98 V 4x4	2.2	2.2	2.2	2.2

Umrüstungen							
	225/60 R 17	99 4x4					
	255/55 R 17	104 4x4					
	235/55 R 18	100 4x4					
	235/50 R 19	99 4x4					
	255/45 R 19	100 4x4					

MITSUBISHI Outlander 12-

Serienbereifungen							
2.0 MIVEC (110 kW), 2.2 Di-D (110 kW)	> 215/70	R 16	100 V 4x4	2.6	2.6	2.6	2.6
	225/55	R 18	98 V 4x4	2.6	2.6	2.6	2.6
	235/45	R 19	99 Y XL 4x4	2.7	2.7	2.7	2.7

Umrüstungen							
	225/60 R 17	99 4x4					
	255/55 R 17	104 4x4					
	235/55 R 18	100 4x4					
	255/45 R 19	100 4x4					

MITSUBISHI L 200 -06

Serienbereifungen							
2.4 i (97 kW), 2.5 TD (73 kW)	205	R 16	110 N C 8PR 4x4	2.2	2.2	2.4	2.8
	> 265/70	R 16	112 S 4x4	2.2	2.2	2.4	2.8

Umrüstungen							
	215/85 R 16	4x4					
	LT 235/85 R 16	120 4x4					
	235/75 R 15	105 4x4					
	265/75 R 15	112 4x4					
	225/75 R 16	104 4x4					
	235/75 R 16	106 4x4					
	245/75 R 16	109 4x4					
	255/70 R 15	108 4x4					
	265/70 R 15	110 4x4					
	225/70 R 16	102 4x4					
	235/70 R 16	104 4x4					
	245/70 R 16	106 4x4					
	255/70 R 16	109 4x4					
	275/70 R 16	114 4x4					
	255/65 R 16	109 4x4					
	235/65 R 17	108 XL 4x4					
	255/60 R 17	106 4x4					
	275/60 R 17	110 4x4					
	235/60 R 18	103 4x4					
	275/55 R 17	109 4x4					
	255/55 R 18	105 4x4					
	285/50 R 18	109 4x4					
	255/50 R 20	109 XL 4x4					
	275/40 R 20	106 XL 4x4					
	295/40 R 20	110 XL 4x4					

MITSUBISHI L 200 06-

Serienbereifungen							
2.5 Di-D (100 kW), 2.5 Di-D (123 kW), 2.5 Di-D (131 kW)	> 205	R 16	110 T C 8PR 4x4	2.4	2.4	2.4	3.5
	245/65	R 17	T rf. 4x4	2.0	2.0	2.0	2.9

NISSAN Qashqai 07-13

Serienbereifungen							
1.6 (86 kW), 1.5 dCi (81 kW)	> 215/65	R 16	98 H 4x4	2.3	2.3	2.6	2.7
	215/60	R 17	96 H 4x4	2.3	2.3	2.6	2.7
	215/55	R 18	95 H 4x4				

2.0 (104 kW), 1.6 dCi (96 kW), 2.0 dCi (110 kW)	> 215/60	R 17	96 H 4x4	2.3	2.1	2.3	2.6
	215/55	R 18	95 H 4x4	2.3	2.1	2.3	2.6

Umrüstungen							
	235/60 R 16	100 4x4					
	235/55 R 17	99 4x4					
	235/50 R 18	97 4x4					
	235/45 R 19	95 4x4					

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

NISSAN Qashqai 14

Serienbereifungen							
1.2 (85 kW), 1.5 dCi (81 kW)	> 215/65	R 16	98 H 4x4	2.6	2.4	2.6	2.6
	215/60	R 17	96 H 4x4	2.3	2.1	2.3	2.6
	215/55	R 18	99 V XL 4x4	2.3	2.1	2.3	2.6
	225/45	R 19	92 W 4x4	2.3	2.1	2.3	2.6

1.6 dCi (96 kW)	> 215/60	R 17	96 H 4x4	2.3	2.1	2.3	2.6
	215/55	R 18	99 V XL 4x4	2.3	2.1	2.3	2.6
	225/45	R 19	92 W 4x4	2.3	2.1	2.3	2.6

Umrüstungen							
	235/60 R 16	100 4x4					
	235/55 R 17	99 4x4					
	235/50 R 18	97 4x4					
	235/45 R 19	95 4x4					

NISSAN Murano (Z50) 05-08

Serienbereifungen							
3.5 V6 (172 kW)	> 225/65	R 18	103 H 4x4	2.3	2.3	2.3	2.3
	235/60	R 18	103 H 4x4	2.3	2.3	2.3	2.3

Umrüstungen							
	255/60 R 18	108 4x4					
	255/50 R 19	103 4x4					
	265/50 R 19	106 4x4					

NISSAN Murano (Z51) 08-

Serienbereifungen							
3.5 V6 (188 kW), 2.5 D (140 kW)	> 235/65	R 18	106 V 4x4				
	235/55	R 20	105 V XL 4x4				

Umrüstungen							
	255/55 R 19	107 4x4					

NISSAN X-Trail (T30) 01-07

Serienbereifungen							
2.0 16V (103 kW), 2.2 16V TD (84 kW), 2.2 dCi (100 kW)	> 215/70	R 15	98 T 4x4	2.0	2.0	2.0	2.3
	> 215/65	R 15	96 T 4x4	2.0	2.0	2.0	2.3
	215/65	R 16	98 T 4x4	2.0	2.0	2.0	2.3
2.5 (121 kW)	> 215/65	R 15	96 H 4x4	2.0	2.0	2.0	2.3
	215/65	R 16	98 H 4x4	2.0	2.0	2.0	2.3

Umrüstungen							
	235/60 R 16	100 4x4					
	225/55 R 17	97 4x4					
	235/50 R 18	97 4x4					
	245/45 R 18	96 4x4					
	255/45 R 18	99 4x4					

NISSAN X-Trail (T31) 07-14

Serienbereifungen							
2.0 (104 kW), 2.5 (124 kW)	> 215/65	R 16	98 H 4x4	2.3	2.1	2.8	2.6
	215/60	R 17	96 H 4x4	2.3	2.1	2.8	2.6

2.0 dCi (110 kW), 2.0 dCi (127 kW)	> 225/60	R 17	99 H 4x4				
	225/55	R 18	98 H 4x4				
	245/40	R 19	94 H 4x4				

Umrüstungen							
	235/60 R 16	100 4x4					
	235/55 R 17	99 4x4					
	235/50 R 18	97 4x4					
	245/45 R 18	96 4x4					
	255/45 R 18	99 4x4					

NISSAN X-Trail 14

Serienbereifungen							
1.6 dCi 2wd / 4wd (96 kW)	> 225/65	R 17	102 H 4x4	2.3	2.1	2.8	2.6
	225/55	R 19	99 V 4x4	2.3	2.1	2.8	2.6

NISSAN Pathfinder (R51) 05-

Serienbereifungen							
4.0 V6 (198 kW), 2.5 dCi (128 kW)	> 255/65	R 17	110 H 4x4	2.4	2.4	2.4	2.4
	> 235/70	R 16	106 T 4x4	2.4	2.4	2.4	2.4
	255/70	R 16	111 T 4x4	2.4	2.4	2.4	2.4
	255/65	R 17	110 H 4x4	2.4	2.4	2.4	2.4

2.5 dCi (140 kW)	> 255/65	R 17	110 H 4x4				
	255/60	R 18	108 H 4x4				

Umrüstungen							
3.0 dCi (170 kW)	> 255/60	R 18	108 V 4x4				
	255/60 R 17	106 4x4					
	255/55 R 18	105 4x4					
	255/50 R 19	103 4x4					

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast
NISSAN Navara (D40) 05- / 10-						
Serienbereifungen						
2.5 CRTD (128 kW)	> 255/70 R 16	111 T 4x4	2.4	2.4	2.6	2.8
	255/65 R 17	110 T 4x4	2.4	2.4	2.6	2.8
2.5 dCi (140 kW)	> 235/70 R 16	106 H 4x4				
	255/65 R 17	110 H 4x4				
	255/60 R 18	108 H 4x4				
3.0 dCi (170 kW)	> 255/60 R 18	108 H 4x4				
Umrüstungen						
	275/60 R 17	110 4x4				
	255/50 R 20	109 XL 4x4				
NISSAN Patrol GR (Y61) 98-09						
Serienbereifungen						
3.0 Di (118 kW)	> 235/80 R 16	109 T 4x4	2.3	2.3	2.3	2.5
	> 265/70 R 16	112 S 4x4	2.3	2.3	2.3	2.5
Umrüstungen						
	235/75 R 16	106 4x4				
	245/75 R 16	111 4x4				
	255/70 R 16	111 4x4				
	275/70 R 16	114 4x4				
	255/60 R 17	106 4x4				
	275/60 R 17	110 4x4				
	275/55 R 17	109 4x4				
	255/55 R 18	105 4x4				
	285/50 R 18	109 4x4				
	255/50 R 20	109 XL 4x4				
	295/45 R 20	110 4x4				
NISSAN Infiniti 09-						
Serienbereifungen						
3.7 EX 37 (235 kW)	> 225/55 R 18	98 V 4x4				
3.7 FX 37 (235 kW)	> 265/50 R 20	107 V 4x4				
5.0 FX 50 (287 kW)						
NISSAN Terrano II (R20) 00-05						
Serienbereifungen						
2.4 (87 kW), 2.7 TD (92 kW), 3.0 TD (113 kW)	> 235/75 R 15	105 T 4x4	2.2	2.2	2.2	2.4
	> 235/70 R 16	106 T 4x4	2.2	2.2	2.2	2.4
Umrüstungen						
	255/70 R 15	108 4x4				
	245/70 R 16	107 4x4				
	255/70 R 16	111 4x4				
	265/70 R 16	112 4x4				
	255/65 R 16	109 4x4				
	235/65 R 17	104 4x4				
	255/60 R 17	106 4x4				
	235/60 R 18	103 4x4				
	275/55 R 17	109 4x4				
	255/55 R 18	105 4x4				
	285/50 R 18	109 4x4				
	255/50 R 19	107 XL 4x4				
	275/40 R 20	106 XL 4x4				
	295/40 R 20	106 4x4				
NISSAN Pickup						
Serienbereifungen						
2.4 (88 kW), 2.5 TD (76 kW)	205 R 16	110 N C 8PR 4x4	2.2	2.2	2.4	2.8
	> 235/75 R 15	105 Q 4x4	2.2	2.2	2.4	2.8
	215/75 R 16	113 N C 8PR 4x4	2.2	2.2	2.4	2.8
	255/70 R 15	112 N C 6PR 4x4	2.2	2.2	2.4	2.8
	255/70 R 16	111 S 4x4	2.2	2.2	2.4	2.8
Umrüstungen						
	LT 225/75 R 16	110 4x4				
	235/75 R 16	106 4x4				
	235/70 R 16	106 4x4				
	245/70 R 16	107 4x4				
	255/65 R 16	109 4x4				
	235/65 R 17	104 4x4				
	255/55 R 18	105 4x4				
OPEL Antara (L-A) 06-11						
Serienbereifungen						
2.4 (104 kW), 2.0 CDTi (110 kW)	215/70 R 16	100 T 4x4	2.1	2.1	2.3	2.4
	235/65 R 17	104 H 4x4	2.1	2.1	2.3	2.4
	> 235/60 R 17	102 H 4x4	2.1	2.1	2.3	2.4
	235/55 R 18	100 H 4x4	2.1	2.1	2.3	2.4
	245/45 R 19	102 V XL 4x4	2.2	2.1	2.3	2.5

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast
3.2 V6 (165 kW)	235/65 R 17	104 H 4x4	2.1	2.1	2.3	2.4
	> 235/60 R 17	102 H 4x4	2.1	2.1	2.3	2.4
	235/55 R 18	100 H 4x4	2.1	2.1	2.3	2.4
	245/45 R 19	102 V XL 4x4	2.1	2.1	2.3	2.5
Umrüstungen						
	255/55 R 18	105 4x4				
	255/45 R 19	100 4x4				
	275/45 R 19	108 XL 4x4				
OPEL Antara (L-A) 11-						
Serienbereifungen						
2.4 (123 kW), 2.2 CDTi (120 kW)	> 235/65 R 17	104 H 4x4	2.4	2.4	2.6	2.6
	235/55 R 18	100 H 4x4	2.4	2.4	2.6	2.6
	235/50 R 19	99 H 4x4	2.4	2.4	2.6	2.6
2.2 CDTi (135 kW)	> 235/65 R 17	104 V 4x4	2.4	2.4	2.6	2.6
	235/55 R 18	100 V 4x4	2.4	2.4	2.6	2.6
	235/50 R 19	99 V 4x4	2.4	2.4	2.6	2.6
Umrüstungen						
	255/55 R 18	105 4x4				
	255/45 R 19	100 4x4				
	275/45 R 19	108 XL 4x4				
OPEL Mokka 12-						
Serienbereifungen						
1.6 (85 kW), 1.4 Turbo (103 kW), 1.7 CDTi (96 kW)	> 205/70 R 16	97 H 4x4	2.0	2.0	2.7	2.8
	215/65 R 16	98 H 4x4	2.0	2.0	2.7	2.8
	215/60 R 17	96 H 4x4	2.0	2.0	2.7	2.8
	215/55 R 18	95 H 4x4	2.2	2.2	2.7	2.8
Umrüstungen						
	235/55 R 17	99 4x4				
	235/50 R 18	97 4x4				
	235/45 R 19	95 4x4				
OPEL Vivaro Combi 06-						
Serienbereifungen						
2.0 CDTi (66 kW), 2.0 CDTi (84 kW)	> 195/65 R 16	100 T C 6PR	3.4	3.7	3.4	3.7
	205/65 R 16	103 T C 6PR	3.8	4.2	3.8	4.2
	215/65 R 16	106 T C 6PR	3.1	3.4	3.1	3.4
2.5 CDTi (107 kW)	> 215/65 R 16	106 T C 6PR	3.1	3.4	3.1	3.4
PEUGEOT 4007 07 - 12						
Serienbereifungen						
2.2 155 HDI / DCS (115 kW)	> 215/70 R 16	100 H 4x4	2.2	2.2	2.2	2.5
	225/55 R 18	98 V 4x4	2.2	2.2	2.2	2.5
2.4 170 (125 kW) -10	> 215/70 R 16	100 H 4x4	2.2	2.2	2.2	2.5
	225/55 R 18	98 V 4x4	2.2	2.2	2.2	2.5
Umrüstungen						
	235/55 R 18	100 4x4				
	255/45 R 19	100 4x4				
PEUGEOT 4008 12-						
Serienbereifungen						
1.6 (84 kW), 1.8 (110 kW)	> 225/55 R 18	98 V 4x4				
Umrüstungen						
	235/45 R 19	99 XL 4x4				
	245/45 R 19	98 4x4				
PEUGEOT 2008 13-						
Serienbereifungen						
1.2 - 82 (60 kW)	> 195/65 R 15	91 T 4x4	2.2	2.2	2.2	2.6
	195/60 R 16	89 H 4x4	2.2	2.2	2.2	2.6
	205/50 R 17	89 H 4x4	2.2	2.2	2.2	2.6
1.6 - 120 (88 kW), 1.6 HDi 115 (84 kW), 1.6 HDi 92 (68 kW)	> 195/60 R 16	89 H 4x4	2.2	2.2	2.2	2.6
	205/50 R 17	89 H 4x4	2.2	2.2	2.2	2.6
	> 195/60 R 16	89 H 4x4	2.2	2.2	2.2	2.6
	205/55 R 16	91 H 4x4	2.2	2.2	2.2	2.6
	205/50 R 17	89 H 4x4	2.2	2.2	2.2	2.6
PORSCHE Cayenne (955) 02-07						
Serienbereifungen						
3.2 V6 (184 kW)	> 235/65 R 17	108 H XL 4x4	2.6	2.9	2.6	3.4
	255/55 R 18	109 V XL 4x4	2.6	2.9	2.6	3.4
	275/45 R 19	108 V XL 4x4	2.6	2.9	2.6	3.4
	275/40 R 20	106 Y XL 4x4	2.6	2.9	2.6	3.4
4.5 V8 S (250 kW)	> 255/55 R 18	109 Y XL 4x4	2.6	2.9	2.6	3.4
	275/45 R 19	108 Y XL 4x4	2.6	2.9	2.6	3.4
	275/40 R 20	106 Y XL 4x4	2.6	2.9	2.6	3.4
4.5 V8 Turbo (331 kW)	> 255/55 R 18	109 Y XL 4x4	2.6	2.9	2.6	3.4
	275/45 R 19	108 Y XL 4x4	2.6	2.9	2.6	3.4
	275/40 R 20	106 Y XL 4x4	2.6	2.9	2.6	3.4

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

4.5 V8 Turbo S (383 kW) 06–	> 275/40 R 20	106 Y XL 4x4	2.6	2.9	2.6	3.4
-----------------------------	---------------	--------------	-----	-----	-----	-----

Umrüstungen	285/50 R 18	109 4x4				
	255/50 R 19	107 XL 4x4				
	295/40 R 20	106 4x4				
	265/35 R 22	102 XL 4x4				
	295/30 R 22	103 XL 4x4				

PORSCHE Cayenne (955-2) 07–10

Serienbereifungen						
3.6 V6 (213 kW),	> 255/55 ZR18	Y 4x4	2.6	2.9	2.6	3.4
3.0 V6 TDI (176 kW)	255/50 ZR19	Y XL 4x4	2.6	2.9	2.6	3.4
	275/45 ZR19	Y XL 4x4	2.6	2.9	2.6	3.4
	275/40 ZR20	Y XL 4x4	2.6	2.9	2.6	3.4
	295/35 ZR21	Y XL 4x4	2.6	2.9	2.6	3.4

4.8 V8 S (283 kW)	> 255/55 ZR18	Y 4x4	2.6	2.9	2.6	3.4
	255/50 ZR19	Y XL 4x4	2.6	2.9	2.6	3.4
	275/45 ZR19	Y XL 4x4	2.6	2.9	2.6	3.4
	275/40 ZR20	Y XL 4x4	2.6	2.9	2.6	3.4
	295/35 ZR21	Y XL 4x4	2.6	2.9	2.6	3.4

4.8 V8 GTS (298 kW)	> 295/35 ZR21	XL 4x4	2.6	2.9	2.6	3.4
4.8 V8 Turbo (368 kW)	> 255/55 ZR18	Y 4x4	2.6	2.9	2.6	3.4
	275/45 ZR19	Y XL 4x4	2.6	2.9	2.6	3.4
	275/40 ZR20	Y XL 4x4	2.6	2.9	2.6	3.4
	295/35 ZR21	Y XL 4x4	2.6	2.9	2.6	3.4

Umrüstungen	255/60 R 17	106 4x4				
	255/60 R 18	108 4x4				
	255/45 R 20	105 XL 4x4				
	265/45 R 20	104 4x4				

PORSCHE Cayenne 10- / 14-

Serienbereifungen						
3.6 V6 (220 kW),	> 255/55 R 18	109 Y XL 4x4				
3.0 D (180 kW)	265/50 R 19	110 Y XL 4x4				
3.0 D (193 kW)	275/45 R 20	110 Y XL 4x4				
	295/35 R 21	107 Y XL 4x4				

4.8 S (294 kW),	> 255/55 R 18	109 Y XL 4x4				
3.6 S (309 kW),	265/50 R 19	110 Y XL 4x4				
3.0 S Hybrid (245 kW)	275/45 R 20	110 Y XL 4x4				
4.2 S Diesel (283 kW)	295/35 R 21	107 Y XL 4x4				
4.8 GTS (309 kW)	> 265/50 R 19	110 Y XL 4x4				
3.6 GTS (324 kW),	275/45 R 19	108 Y XL 4x4				
4.8 Turbo (368 kW),	275/45 R 20	110 Y XL 4x4				
4.8 Turbo (382 kW)	295/35 R 21	107 Y XL 4x4				
4.8 V8 Turbo S (405 kW) 13–	> 295/35 R 21	107 Y XL 4x4				

PORSCHE Macan 14–

Serienbereifungen						
3.0 S V 6 (250 kW),	> 235/55 R 19	101 Y VA 4x4	2.3		2.5	
3.6 V 6 Turbo (294 kW)	> 255/50 R 19	103 Y HA 4x4		2.5		2.7
	265/45 R 20	104 Y VA 4x4	2.3		2.5	
	295/40 R 20	106 Y HA 4x4		2.5		2.7
	265/40 R 21	101 Y VA 4x4	2.3		2.5	
	295/35 R 21	103 Y HA 4x4		2.5		2.7

3.0 S D (190 kW)	> 235/60 R 18	103 W VA 4x4	2.3		2.5	
	> 255/55 R 18	105 W HA 4x4		2.5		2.7
	235/55 R 19	101 Y VA 4x4	2.3		2.5	
	255/50 R 19	103 Y HA 4x4		2.5		2.7
	265/45 R 20	104 Y VA 4x4	2.3		2.5	
	295/40 R 20	106 Y HA 4x4		2.5		2.7
	265/40 R 21	101 Y VA 4x4	2.3		2.5	
	295/35 R 21	103 Y HA 4x4		2.5		2.7

RENAULT Kangoo 4x4 02–07

Serienbereifungen						
1.6 16V (70 kW),	> 185/65 R 15	88 T 4x4	2.6	2.6	2.6	2.9
1.5 dCi (60 kW)						

Umrüstungen	195/55 R 16	87 4x4				
	205/45 R 17	84 4x4				
	225/35 R 18	83 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

RENAULT Scénic RX4 (JA) 00–

Serienbereifungen						
2.0 16V (103 kW)	> 215/65 R 16	98 T 4x4	2.2	2.2	2.2	2.4
1.9 dCi (75 kW)	> 215/65 R 16	98 T 4x4	2.2	2.2	2.2	2.4

Umrüstungen	225/60 R 16	98 4x4				
	235/60 R 16	100 4x4				
	225/55 R 17	97 4x4				
	235/50 R 18	97 4x4				

RENAULT Koleos (Y) 08– / 11–

Serienbereifungen						
2.5 (126 kW),	> 225/60 R 17	99 H 4x4	2.3	2.1	2.3	2.1
2.0 dCi (110 kW),	225/55 R 18	98 H 4x4	2.3	2.1	2.3	2.1
1.5 dCi (110 kW)						
2.0 dCi (127 kW)	> 225/60 R 17	99 V 4x4	2.3	2.1	2.3	2.1

Umrüstungen	235/50 R 18	97 4x4				
	235/45 R 19	95 4x4				

SEAT Altea Freetrack (5P) 07– / 09–

Serienbereifungen						
2.0 TSI (147 kW),	> 205/60 R 16	92 W 4x4	2.2	2.0	2.4	2.6
2.0 TDI (125 kW)	215/50 R 17	91 W 4x4	2.3	2.1	2.4	2.6
	225/50 R 17	94 W 4x4	2.0	2.0	2.2	2.4
	225/45 R 17	91 W 4x4	2.3	2.1	2.5	2.7
	225/40 R 18	92 Y XL 4x4	2.4	2.2	2.5	2.7

1.6 TDI (77 kW)	> 225/50 R 17	94 H 4x4				
2.0 TFSI (155 kW),	> 225/45 R 17	91 V 4x4				
2.0 TDI (103 kW),						
2.0 TDI (125 kW) 09–						

Umrüstungen	235/45 R 17	94 4x4				
	245/45 R 17	95 4x4				
	235/40 R 18	91 4x4				
	245/40 R 18	93 4x4				

SKODA Octavia Scout 07 – 14

Serienbereifungen						
1.8 TSI (118 kW),	> 225/50 R 17	94 V 4x4	2.2	2.2	2.5	3.0
2.0 FSI (110 kW),						
2.0 TDI (103 kW)						

Umrüstungen	225/45 R 18	95 XL 4x4				
	245/40 R 18	93 4x4				
	245/35 R 19	93 XL 4x4				

SKODA Yeti (5L) 09– / 11–

Serienbereifungen						
1.2 TSI (77 kW),	> 215/60 R 16	95 H 4x4				
1.4 TSI (90 kW),	225/50 R 17	94 H 4x4				
2.0 TDI / 4x4 (81 kW)						
1.8 TSI 4x4 (118 kW),	> 215/60 R 16	95 V 4x4				
2.0 TDI 4x4 (103 kW),	225/50 R 17	94 V 4x4				
2.0 TDI 4x4 (125 kW)						
1.6 TDI (77 kW)	> 205/55 R 16	91 T 4x4				

SSANG YONG Rodius (AJ) 05 – 12

Serienbereifungen						
2.7 270 Xdi (121 kW)	> 215/65 R 16	102 T XL 4x4	2.1	2.1	2.1	2.1
	225/65 R 16	104 T XL 4x4	2.1	2.1	2.1	2.1

SSANG YONG Musso Sports (Pickup) 02-05

Serienbereifungen						
2.9 TD (88 kW)	> 235/75 R 15	105 T 4x4				
	255/65 R 16	109 T 4x4				

SSANG YONG Kyrón 05 – 14

Serienbereifungen						
2.7 (127 kW),	> 225/75 R 16	104 T 4x4	2.0	2.0	2.0	2.0
2.0 Xdi (104 kW)	255/60 R 18	108 T 4x4	2.0	2.0	2.0	2.0

SSANG YONG Korando (KJ) 99–10

Serienbereifungen						
2.3 16V (105 kW),	> 235/75 R 15	105 T 4x4				
2.9 TD (88 kW)	255/70 R 15	108 T 4x4				
	235/70 R 16	106 T 4x4				
	255/65 R 16	109 T 4x4				
3.2 X (162 kW)	> 255/70 R 15	108 T 4x4				
	235/70 R 16	106 T 4x4				
	255/65 R 16	109 T 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teilast	Luft- druck HA Teillast	Luft- druck VA Vollast	Luft- druck HA Vollast
Umrüstungen	235/65 R 17	104 4x4				
	255/55 R 18	105 4x4				
	255/50 R 19	107 XL 4x4				
SSANG YONG	Korando 11-					
Serienbereifungen						
2.0 2wd / 4wd (110 kW),	> 215/65 R 16	98 H 4x4	2.2	2.2	2.2	2.2
2.0 XDi 2wd / 4wd (110 kW),	225/60 R 17	99 H 4x4	2.2	2.2	2.2	2.2
2.0 XDi 2wd / 4wd (129 kW)	225/55 R 18	98 H 4x4	2.2	2.2	2.2	2.2
Umrüstungen	235/60 R 16	100 4x4				
	235/55 R 17	99 4x4				
	235/50 R 18	101 XL 4x4				
	235/45 R 19	99 XL 4x4				
SSANG YONG	Actyon Sports (Pickup) (CJ) 07 -12					
Serienbereifungen						
2.0 200 Xdi (104 kW)	> 225/75 R 16	104 T 4x4	2.2	2.2	2.2	2.8
	235/75 R 16	106 H 4x4	2.2	2.2	2.2	2.8
	255/60 R 18	108 H 4x4	2.2	2.2	2.2	2.8
SSANG YONG	Actyon Sports 12-					
Serienbereifungen						
2.0 D 2wd / 4wd (114 kW)	> 225/75 R 16	104 T 4x4				
Umrüstungen	225/70 R 17	108 XL 4x4				
	245/65 R 17	107 4x4				
	245/60 R 18	104 4x4				
	265/50 R 19	106 4x4				
SSANG YONG	Rexton II 06 - 13					
Serienbereifungen						
2.7 270 Xdi (118 kW)	> 235/75 R 16	106 T 4x4	2.1	2.1	2.1	2.1
	255/70 R 16	111 T 4x4	2.1	2.1	2.1	2.1
	255/60 R 18	108 T 4x4	2.1	2.1	2.1	2.1
	275/40 R 20	102 H 4x4	2.1	2.1	2.1	2.1
2.7 XVT (132 kW)	> 255/60 R 18	108 T 4x4				
SSANG YONG	Rexton W 13					
Serienbereifungen						
2.0 RX 200 e-XDi (114 kW)	> 235/75 R 16	106 T 4x4				
	255/60 R 18	108 T 4x4				
Umrüstungen	255/55 R 19	107 4x4				
	255/50 R 20	109 XL 4x4				
	275/45 R 20	106 4x4				
SUBARU	Legacy Outback 03 - 08					
Serienbereifungen						
2.5 16V (121 kW)	> 205/60 R 16	92 H 4x4	2.5	2.4	2.5	2.4
	215/60 R 16	95 H 4x4	2.5	2.4	2.5	2.4
	215/55 R 17	94 H 4x4	2.5	2.4	2.5	2.4
	205/50 R 17	89 H 4x4	2.0	1.9	2.0	2.5
	225/45 R 17	91 H 4x4	2.5	2.4	2.5	2.4
3.0 16V (180 kW)	> 215/60 R 16	95 V 4x4	2.0	1.9	2.0	2.5
	215/55 R 17	94 V 4x4	2.5	2.4	2.5	2.4
	205/50 R 17	89 V 4x4	2.0	1.9	2.0	2.5
	225/45 R 17	91 V 4x4	2.5	2.4	2.5	2.4
Umrüstungen	225/55 R 17	97 4x4				
SUBARU	XV 12-					
Serienbereifungen						
1.6 i (84 kW), 2.0 i (110 kW),	> 225/55 R 17	97 V 4x4				
2.0 D (108 kW)						
SUBARU	Forester (SF/SG) 97- / 00- / 02-05					
Serienbereifungen						
2.0 16V (92 kW)	185/80 R 15	93 T 4x4	2.0	1.8	2.0	2.5
	> 195/70 R 15	93 T 4x4	2.0	1.8	2.0	2.5
	205/70 R 15	96 T 4x4	2.0	1.8	2.0	2.5
	195/65 R 15	91 T 4x4	2.0	1.8	2.0	2.5
	215/65 R 15	96 T 4x4	2.0	1.8	2.0	2.5
2.0 16V Turbo XT	> 215/60 R 16	95 V 4x4	2.0	1.8	2.0	2.5
4x4 (130 kW)	215/55 R 16	93 V 4x4	2.0	1.8	2.0	2.5
Umrüstungen	215/60 R 16	95 4x4				
	215/55 R 16	93 4x4				
	225/55 R 17	97 4x4				
	215/50 R 17	91 4x4				
	225/50 R 17	94 4x4				
	245/45 R 17	95 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teilast	Luft- druck HA Teillast	Luft- druck VA Vollast	Luft- druck HA Vollast
SUBARU	Forester (SG) 05-08					
Serienbereifungen						
2.0 X (116 kW)	> 205/70 R 15	96 H 4x4	2.0	1.9	2.0	2.5
	215/60 R 16	95 V 4x4	2.0	1.9	2.0	2.5
	215/55 R 17	94 V 4x4	2.2	2.1	2.2	2.2
2.5 XT Turbo (169 kW)	> 215/60 R 16	95 V 4x4	2.0	1.9	2.0	2.5
	215/55 R 17	94 V 4x4	2.2	2.1	2.2	2.2
Umrüstungen	215/55 R 16	93 4x4				
	225/55 R 17	97 4x4				
	215/50 R 17	91 4x4				
	225/50 R 17	94 4x4				
	245/45 R 17	95 4x4				
SUBARU	Forester (SH) 08-13					
Serienbereifungen						
2.0 X (110 kW),	> 215/65 R 16	98 H 4x4				
2.0 D (108 kW)	215/55 R 17	94 H 4x4				
	225/55 R 17	97 H 4x4				
2.5 (169 kW), 2.5 D (126 kW)	215/65 R 16	98 V 4x4				
	215/55 R 17	94 V 4x4				
	> 225/55 R 17	97 V 4x4				
Umrüstungen	235/60 R 16	100 4x4				
	235/55 R 17	99 4x4				
	235/50 R 18	97 4x4				
SUBARU	Forester 13-					
Serienbereifungen						
2.0 X (110 kW),	> 225/60 R 17	99 H 4x4	2.3	2.2	2.3	2.3
2.0 D (108 kW)	225/55 R 18	98 H 4x4	2.3	2.2	2.3	2.3
2.0 XT (177 kW)	> 225/55 R 18	98 V 4x4	2.3	2.2	2.3	2.3
	235/45 R 19	99 XL 4x4				
	245/45 R 19	98 4x4				
SUBARU	B9 Tribeca (WX) 06-					
Serienbereifungen						
3.0 R (180 kW) -07,	> 255/55 R 18	105 V 4x4	2.2	2.3	2.2	2.3
3.6 R (190 kW) 08-						
Umrüstungen	255/50 R 19	103 4x4				
	255/45 R 20	101 4x4				
SUZUKI	Jimny (FJ) 99- / 05-					
Serienbereifungen						
1.3 16V (59 kW),	> 205/70 R 15	96 T 4x4	1.6	1.8	1.6	1.8
1.3 16V (63 kW),						
1.5 TD (48 kW),						
1.5 DDiS (63 kW)						
Umrüstungen	215/65 R 16	98 4x4				
	235/60 R 15	98 4x4				
	205/60 R 16	96 XL 4x4				
	215/60 R 16	95 4x4				
	225/60 R 16	98 4x4				
	235/60 R 16	100 4x4				
	225/55 R 17	97 4x4				
SUZUKI	Vitara (ET) 98-06					
Serienbereifungen						
1.6 16V (69 kW)	> 195/80 R 15	96 Q 4x4	1.6	1.6	1.6	1.6
	205/70 R 15	96 Q 4x4	1.6	1.6	1.6	1.6
2.0 16V (94 kW),	> 215/65 R 16	98 T 4x4	1.6	1.6	1.6	1.6
2.5 V6 (106 kW),						
2.0 TD (80 kW)						
Umrüstungen	205/75 R 15	97 4x4				
	215/75 R 15	100 4x4				
	225/70 R 15	100 4x4				
	215/70 R 16	100 4x4				
	215/65 R 16	98 4x4				
	235/60 R 16	100 4x4				
	225/55 R 17	97 4x4				
	235/50 R 18	97 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

SUZUKI Grand Vitara (GT/FT/HT) 99–06							
Serienbereifungen							
1.6 16V (69 kW),	> 215/65	R 16	98 T 4x4	2.1	2.1	2.1	2.4
2.0 16V (94 kW)	255/55	R 16	103 H 4x4	2.1	2.1	2.1	2.4
2.5 V6 (106 kW),	> 235/60	R 16	100 H 4x4	2.1	2.1	2.1	2.4
2.0 TD (80 kW)	255/55	R 16	103 H 4x4	2.1	2.1	2.1	2.4
2.7 V6 XL-7 (127 kW) 01–	> 235/60	R 16	100 H 4x4	2.1	2.1	2.1	2.4
	255/55	R 16	103 H 4x4	2.1	2.1	2.1	2.4
Umrüstungen							
	215/65	R 16	98 4x4				
	235/60	R 15	98 4x4				
	225/60	R 16	98 4x4				
	235/60	R 16	100 4x4				
	225/55	R 17	97 4x4				
	235/50	R 18	97 4x4				

SUZUKI Grand Vitara 06– / 12– 15							
Serienbereifungen							
1.6 VVT (78 kW),	> 215/70	R 16	100 T 4x4	2.2	2.2	2.6	2.6
1.9 DDiS (95 kW)	225/70	R 16	102 T 4x4	2.2	2.2	2.6	2.6
	225/65	R 17	102 T 4x4	2.2	2.2	2.6	2.6
	225/60	R 18	100 H 4x4	2.2	2.2	2.6	2.6
	235/55	R 18	100 H 4x4	2.2	2.2	2.6	2.6
	245/45	R 19	98 H 4x4	2.2	2.2	2.6	2.6
2.0 (103 kW), 2.4 (122 kW)	> 215/70	R 16	100 T 4x4	2.2	2.2	2.6	2.6
	225/70	R 16	102 T 4x4	2.2	2.2	2.6	2.6
	225/65	R 17	102 T 4x4	2.2	2.2	2.6	2.6
	225/60	R 18	100 H 4x4	2.2	2.2	2.6	2.6
	235/55	R 18	100 H 4x4	2.2	2.2	2.6	2.6
	245/45	R 19	98 H 4x4	2.2	2.2	2.6	2.6

SUZUKI SX4 S-Cross 12-							
Serienbereifungen							
1.6 CVT (88 kW),	> 205/60	R 16	92 H 4x4	2.4	2.3	2.5	2.6
1.6 DDiS (88 kW)	205/50	R 17	89 V 4x4	2.4	2.3	2.5	2.6

TOYOTA RAV-4 Fun Cruiser (A2) 00–06							
Serienbereifungen							
2.0 16V (110 kW)	> 235/60	R 16	100 H 4x4	2.0	2.0	2.0	2.2
	235/50	R 18	97 H 4x4	2.0	2.0	2.0	2.2
	245/45	R 19	98 V 4x4	2.0	2.0	2.0	2.2
1.8 C (92 kW),	> 215/70	R 16	100 T 4x4	2.0	2.0	2.0	2.2
2.0 D-4D (85 kW) 02–	235/60	R 16	100 H 4x4	2.0	2.0	2.0	2.2
	235/50	R 18	97 H 4x4	2.0	2.0	2.0	2.2
	245/45	R 19	98 V 4x4	2.0	2.0	2.0	2.2
Umrüstungen							
	235/70	R 16	106 4x4				
	255/60	R 16	103 4x4				
	235/60	R 17	102 4x4				
	225/55	R 17	97 4x4				
	235/55	R 17	99 4x4				
	255/50	R 17	101 4x4				
	245/45	R 18	96 4x4				
	255/45	R 18	99 4x4				

TOYOTA RAV-4 (XA3) 06–							
Serienbereifungen							
2.0 VVT-i (112 kW),	> 225/65	R 17	102 H 4x4	2.2	2.2	2.2	2.4
2.2 D-4D (100 kW),	235/55	R 18	100 H 4x4	2.2	2.2	2.2	2.4
2.2 D-CAT (130 kW)							
Umrüstungen							
	235/60	R 17	102 4x4				
	235/50	R 19	99 4x4				
	255/45	R 19	100 4x4				

TOYOTA RAV-4 13–							
Serienbereifungen							
2.0 (111 kW),	> 225/65	R 17	102 H 4x4				
2.0 D-4D (91 kW)	235/55	R 18	100 H 4x4				
2.2 D-4D (110 kW)	> 235/55	R 18	100 H 4x4				

TOYOTA Land Cruiser (J 12) 03– / 07–09							
Serienbereifungen							
4.0 V6 (183 kW)	> 265/65	R 17	112 H 4x4	2.6	2.6	2.6	2.9
3.0 D-4D (120 kW),	> 225/70	R 17	108 T XL 4x4	2.6	2.6	2.6	2.9
3.0 D-4D (127 kW)	265/65	R 17	112 H 4x4	2.6	2.6	2.6	2.9
Umrüstungen							
	265/70	R 17	115 4x4				
	235/65	R 17	108 XL 4x4				
	275/60	R 17	110 4x4				
	285/50	R 18	109 4x4				

Hersteller	Reifengröße	LI/SI	Luft- druck VA Teillast	Luft- druck HA Teillast	Luft- druck VA Volllast	Luft- druck HA Volllast
------------	-------------	-------	----------------------------------	----------------------------------	----------------------------------	----------------------------------

TOYOTA Land Cruiser (J 15) 10–						
Serienbereifungen						
4.0 V6 (207 kW),	> 245/70	R 17	110 T 4x4			
3.0 D-4D (127 kW)	265/65	R 17	112 T 4x4			
	265/60	R 18	110 H 4x4			
Umrüstungen						
	275/60	R 17	110 4x4			
	275/55	R 19	111 4x4			

TOYOTA Land Cruiser V8 (J20) 08–							
Serienbereifungen							
4.7 V8 (212 kW),	> 285/60	R 18	116 V 4x4	2.6	2.6	2.6	2.9
4.5 V8 D-4D (210 kW)	285/50	R 20	116 V XL 4x4	2.6	2.6	2.6	2.9

TOYOTA Hilux –06 / 06–							
Serienbereifungen							
2.5 D-4D (88 kW) 06–,	255/70	R 15	108 T 4x4	2.2	2.3	2.4	2.8
3.0 D-4D (126 kW) 06–	> 255/65	R 16	109 T 4x4	2.2	2.3	2.4	2.8
	255/60	R 17	106 T 4x4	2.2	2.3	2.4	2.8
Umrüstungen							
	215/85	R 16	107 4x4				
	225/75	R 16	110 4x4				
	235/75	R 16	106 4x4				
	225/70	R 16	102 4x4				
	235/70	R 16	106 4x4				
	245/70	R 16	107 4x4				
	255/65	R 16	109 4x4				
	235/65	R 17	104 4x4				
	255/55	R 18	105 4x4				

VOLVO XC 60 (D) 08– / 13–							
Serienbereifungen							
2.0 T5 (177 kW),	> 235/65	R 17	104 V 4x4	2.4	2.4	2.7	2.7
3.2 (175 kW),	235/60	R 18	103 V 4x4	2.4	2.4	2.7	2.7
3.2 AWD (179 kW),	235/55	R 19	101 V 4x4	2.4	2.4	2.7	2.7
3.0 T6 (210 kW),	255/45	R 20	101 V 4x4	2.4	2.4	2.7	2.7
3.0 T6 AWD (224 kW)							
2.0 D3 (100 kW) 13–,	> 235/65	R 17	104 V 4x4	2.4	2.4	2.7	2.7
2.0 D4 (120 kW) 13–,	235/60	R 18	103 V 4x4	2.4	2.4	2.7	2.7
2.4 D4 AWD (120 kW),	235/55	R 19	101 V 4x4	2.4	2.4	2.7	2.7
2.0 D3 / AWD (120 kW),	255/45	R 20	101 V 4x4	2.4	2.4	2.7	2.7
2.4 D (129 kW),							
2.4 D5 (151 kW),							
2.4 D5 AWD (158 kW)							
3.0 T6 AWD (242 kW),	> 255/45	R 20	101 W 4x4				
2.4 D5 AWD (169 kW)							
Umrüstungen							
	255/60	R 17	106 4x4				
	245/60	R 18	104 4x4				
	255/50	R 19	103 4x4				

VOLVO XC 70 (S) 00–07							
Serienbereifungen							
2.5 T (154 kW),	> 215/65	R 16	98 V 4x4	2.4	2.4	3.0	3.0
2.4 D (120 kW),	215/60	R 17	96 V 4x4	2.4	2.4	3.0	3.0
2.4 D5 (136 kW)	225/50	R 17	94 W 4x4	2.4	2.4	3.0	3.0
Umrüstungen							
	225/55	R 17	97 4x4				
	235/50	R 18	97 4x4				
	245/45	R 18	96 4x4				
	255/45	R 18	99 4x4				

VOLVO XC 70 07–							
Serienbereifungen							
3.2 (175 kW),	> 215/65	R 16	98 V 4x4				
3.0 T6 AWD (224 kW) 09–	235/55	R 17	99 V 4x4				
	235/50	R 18	97 V 4x4				
2.0 D3 / AWD (120 kW) 09–,	> 215/65	R 16	98 V 4x4	2.4	2.4	2.8	2.8
2.4 D5 (136 kW),	235/55	R 17	99 V 4x4	2.4	2.4	2.8	2.8
2.4 D5 AWD (158 kW) 09–	235/50	R 18	97 V 4x4	2.4	2.4	2.8	2.8
Umrüstungen							
	235/45	R 19	99 XL 4x4				

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

VOLVO XC 90 (C) 02- / 06- / 10-

Serienbereifungen						
3.2 AWD (179 kW) 10-	> 235/65 R 17	104 V 4x4				
2.4 D3 (120 kW) 10-	235/60 R 18	103 V 4x4				
2.4 D5 AWD (147 kW) 10-	255/50 R 19	103 V 4x4				
	255/45 R 20	101 V 4x4				
2.5 Turbo (154 kW) 02-06	> 235/65 R 17	104 V 4x4	2.2	2.2	2.7	2.7
	235/60 R 18	103 V 4x4	2.2	2.2	2.7	2.7
2.9 T6 (200 kW) 02-06,	> 235/60 R 18	103 V 4x4	2.2	2.2	2.7	2.7
3.2 / 6 (175 kW) 06-10	255/50 R 19	103 W 4x4	2.2	2.2	2.7	2.7
2.4 CDI D5 (120 kW) 02-06,	> 225/70 R 16	102 H 4x4	2.2	2.2	2.7	2.7
2.4 D5 (136 kW) 06-10	235/65 R 17	104 V 4x4	2.2	2.2	2.7	2.7
	235/60 R 18	103 V 4x4	2.2	2.2	2.7	2.7
4.4 V8 (232 kW) 05-10	> 235/60 R 18	103 V 4x4	2.2	2.2	2.7	2.7
	255/50 R 19	103 W 4x4	2.2	2.2	2.7	2.7
	265/45 R 20	104 W 4x4	2.2	2.2	2.7	2.7

Umrüstungen						
	275/55 R 17	109 4x4				
	255/55 R 18	105 4x4				
	255/50 R 19	103 4x4				
	275/45 R 19	108 XL 4x4				
	275/40 R 20	106 XL 4x4				
	265/35 R 22	102 XL 4x4				

VOLVO XC 90 15-

Serienbereifungen						
2.0 T6 (236 kW),	> 235/60 R 18	107 V XL 4x4				
2.0 D5 (165 kW)	235/55 R 19	105 V XL 4x4				
	275/45 R 20	110 V XL 4x4				
	275/40 R 21	107 W XL 4x4				
	275/35 R 22	104 W XL 4x4				
2.0 T8 Twin (Hybrid) (294 kW)	> 235/55 R 19	105 V XL 4x4				
	275/45 R 20	110 V XL 4x4				
	275/40 R 21	107 W XL 4x4				
	275/35 R 22	104 W XL 4x4				

VW CrossGolf 07- / 09-

Serienbereifungen						
1.2 TSI (77 kW), 1.6 (75 kW),	> 225/45 R 17	91 H 4x4	2.1	2.1	2.3	2.8
1.4 TSI (90 kW),						
1.6 TDI (77 kW),						
1.9 TDI (77 kW)						
1.4 TSI (103 kW),	> 225/45 R 17	91 W 4x4	2.3	2.3	2.5	3.0
2.0 TDI (103 kW)						
1.4 TSI (118 kW),	> 225/45 R 17	91 W 4x4	2.4	2.4	2.6	3.0
1.4 TSI (125 kW)						

VW Tiguan (5N) 07-11

Serienbereifungen						
1.4 TSI (110 kW)	> 215/65 R 16	98 H 4x4	2.0	2.0	2.3	2.5
	235/55 R 17	99 H 4x4	2.0	2.0	2.3	2.5
	235/50 R 18	97 H 4x4	2.0	2.0	2.3	2.5
2.0 TSI (125 kW),	> 215/65 R 16	98 V 4x4	2.2	2.2	2.5	2.7
2.0 TDI (125 kW)	235/55 R 17	99 V 4x4	2.2	2.2	2.5	2.7
	235/50 R 18	97 V 4x4	2.2	2.2	2.5	2.7
2.0 TSI (147 kW)	> 235/55 R 17	99 V 4x4	2.2	2.2	2.5	2.7
	235/50 R 18	97 V 4x4	2.2	2.2	2.5	2.7
2.0 TDI (103 kW)	> 215/65 R 16	98 H 4x4	2.2	2.2	2.5	2.7
	235/55 R 17	99 H 4x4	2.2	2.2	2.5	2.7
	235/50 R 18	97 H 4x4	2.2	2.2	2.5	2.7

Umrüstungen 235/45 R 19 95 4x4

VW Tiguan 11-

Serienbereifungen						
1.4 TSI (90 kW),	> 215/65 R 16	98 H	2.2	2.2	2.5	2.7
2.0 TDI (81 kW),	235/55 R 17	99 H	2.2	2.2	2.5	2.7
2.0 TDI (103 kW)	235/50 R 18	97 H	2.2	2.2	2.5	2.7
	255/40 R 19	96 H	2.2	2.2	2.5	2.7
1.4 TSI (118 kW),	> 215/65 R 16	98 V	2.2	2.2	2.5	2.7
2.0 TSI (132 kW)	235/55 R 17	99 V	2.2	2.2	2.5	2.7
	235/50 R 18	97 V	2.2	2.2	2.5	2.7
	255/40 R 19	96 V	2.2	2.2	2.5	2.7
2.0 TSI (155 kW),	> 235/55 R 17	99 V	2.2	2.2	2.5	2.7
2.0 TDI (125 kW)	235/50 R 18	97 V	2.2	2.2	2.5	2.7
	255/40 R 19	96 V	2.2	2.2	2.5	2.7

Hersteller	Reifengröße	LI/SI	Luft-	Luft-	Luft-	Luft-
			druck	druck	druck	druck
			VA	HA	VA	HA
			Teillast	Teillast	Volllast	Volllast

VW Touareg (7L) 02-10

Serienbereifungen						
3.2 V6 (162 kW) -04,	> 235/65 R 17	108 V XL 4x4	2.5	2.6	2.5	3.0
3.2 V6 (177 kW) 05-,	255/60 R 17	106 V 4x4	2.5	2.6	2.5	3.0
3.6 V6 FSI (206 kW),	235/60 R 18	103 V 4x4	2.5	2.6	2.5	3.0
3.0 V6 TDI (165 kW) 05-	255/55 R 18	109 Y XL 4x4	2.6	2.9	2.7	3.1
	255/50 R 19	107 V XL 4x4	2.5	2.6	2.5	3.0
	275/45 R 19	108 V XL 4x4	2.5	2.6	2.5	3.0
	275/40 R 20	106 Y XL 4x4	2.6	2.9	2.7	3.1

4.2 V8 (228 kW)	> 255/60 R 17	106 V 4x4	2.5	2.6	2.5	3.0
	235/60 R 18	103 V 4x4	2.5	2.6	2.5	3.0
	255/55 R 18	109 Y XL 4x4	2.6	2.9	2.7	3.1
	255/50 R 19	107 V XL 4x4	2.6	2.9	2.7	3.1
	275/45 R 19	108 Y XL 4x4	2.7	3.0	2.8	3.2
	275/40 R 20	106 Y XL 4x4	2.7	3.0	2.8	3.2
6.0 W12 (331 kW)	> 255/55 R 18	109 Y XL 4x4	2.6	2.9	2.7	3.1
	255/50 R 19	107 Y XL 4x4	2.7	3.0	2.8	3.2
	275/45 R 19	108 Y XL 4x4	2.7	3.0	2.8	3.2
	275/40 R 20	106 Y XL 4x4	2.7	3.0	2.8	3.2

2.5 R5 TDI (128 kW)	> 235/70 R 16	106 H 4x4	2.4	2.5	2.4	2.9
	235/65 R 17	108 H XL 4x4	2.5	2.6	2.5	3.0
	255/60 R 17	106 V 4x4	2.5	2.6	2.5	3.0
	235/60 R 18	103 H 4x4	2.4	2.5	2.4	2.9
	255/55 R 18	109 H XL 4x4	2.5	2.6	2.5	3.0
	255/50 R 19	107 H XL 4x4	2.5	2.6	2.5	3.0
	275/45 R 19	108 H XL 4x4	2.5	2.6	2.5	3.0
	275/40 R 20	106 Y XL 4x4	2.5	2.6	2.5	3.0

5.0 V10 TDI (230 kW)	> 255/60 R 17	106 V 4x4	2.5	2.6	2.6	3.1
	235/60 R 18	103 V 4x4	2.5	2.6	2.6	3.1
	255/55 R 18	109 Y XL 4x4	2.6	2.9	2.7	3.1
	255/50 R 19	107 V XL 4x4	2.7	3.0	2.8	3.2
	275/45 R 19	108 Y XL 4x4	2.7	3.0	2.8	3.2
	275/40 R 20	106 Y XL 4x4	2.7	3.0	2.8	3.2

Umrüstungen						
	285/50 R 18	109 4x4				
	295/40 R 20	106 4x4				
	265/35 R 22	102 XL 4x4				
	295/30 R 22	103 XL 4x4				

VW Touareg (7P) 10- / 14-

Serienbereifungen						
3.6 V 6 (206 kW) -14,	> 235/65 R 17	108 V XL 4x4	2.3	2.5	2.5	3.0
3.0 V 6 TDI (150 kW),	255/60 R 17	106 V 4x4	2.3	2.5	2.5	3.0
3.0 V 6 TDI (180 kW) -14,	255/55 R 18	109 W XL 4x4	2.3	2.5	2.5	3.0
3.0 V 6 TDI (193 kW) 14-	265/50 R 19	110 W XL 4x4	2.3	2.5	2.5	3.0
	275/45 R 20	110 W XL 4x4	2.3	2.5	2.5	3.0
	275/40 R 21	107 W XL 4x4	2.3	2.5	2.5	3.0
3.0 Hybrid (245 kW),	> 255/55 R 18	109 W XL 4x4	2.3	2.5	2.5	3.0
4.2 V8 TDI (250 kW)	265/50 R 19	110 W XL 4x4	2.3	2.5	2.5	3.0
	275/45 R 20	110 W XL 4x4	2.3	2.5	2.5	3.0
	275/40 R 21	107 W XL 4x4	2.3	2.5	2.5	3.0

Umrüstungen						
	285/50 R 18	109 4x4				
	295/40 R 20	106 4x4				
	265/35 R 22	102 XL 4x4				
	295/30 R 22	103 XL 4x4				

VW Amarok (Pickup) 10-

Serienbereifungen						
2.0 TDI (90 kW),	> 205 R 16	110 T C 8PR				
2.0 BiTDI / 4motion (120 kW)	245/70 R 16	111 T XL				
	245/65 R 17	111 T XL				
	255/60 R 18	112 T XL				
	265/60 R 18	110 T				
	255/55 R 19	111 T XL				